

Article Number	Type	Package	Qualification	Config	Life Cycle	Vznom (V)	Ptot (W)	Voltage Tolerance	Tjmax (°C)	rzj (Ω)
MM1Z4684GW-AQ	SMD	SOD-123	AEC-Q101	Single	engineering sample	3.3	0.5	±5%	150	0
MM3BZ18GW-Q	SMD	SOD-323	AEC-Q compliant	Single	active	18	0.2	±5%	150	0
MM3BZ18GW	SMD	SOD-323	Industrial Grade	Single	active	18	0.2	±5%	150	0
MM3BZ27GW	SMD	SOD-323	Industrial Grade	Single	engineering sample	27	0.2	±5%	150	0
3EZ1	Axial	DO-15	Industrial Grade	Single	active	0.77	3	±5%	150	0.5
SMZ1	SMD	DO-213AB/Melf	Industrial Grade	Single	active	0.77	2	±5%	150	0.5
SZ3C1	SMD	DO-213AB/Melf	Industrial Grade	Single	active	0.77	3	±5%	150	0.5
ZMY1	SMD	DO-213AB/Melf	Industrial Grade	Single	active	0.77	1.3	±5%	150	0.5
ZPY1	Axial	DO-41	Industrial Grade	Single	active	0.77	1.3	±5%	150	0.5
ZY1	Axial	DO-41	Industrial Grade	Single	active	0.77	2	±5%	150	0.5
3EZ6.2	Axial	DO-15	Industrial Grade	Single	active	6.2	3	±5%	150	1
3EZ6.8	Axial	DO-15	Industrial Grade	Single	active	6.8	3	±5%	150	1
3EZ7.5	Axial	DO-15	Industrial Grade	Single	active	7.5	3	±5%	150	1
3EZ8.2	Axial	DO-15	Industrial Grade	Single	active	8.2	3	±5%	150	1
SMZ5.6	SMD	DO-213AB/Melf	Industrial Grade	Single	active	5.6	2	±5%	150	1
SMZ6.2	SMD	DO-213AB/Melf	Industrial Grade	Single	active	6.2	2	±5%	150	1
SMZ6.8	SMD	DO-213AB/Melf	Industrial Grade	Single	active	6.8	2	±5%	150	1
SMZ7.5	SMD	DO-213AB/Melf	Industrial Grade	Single	active	7.5	2	±5%	150	1
SMZ8.2	SMD	DO-213AB/Melf	Industrial Grade	Single	active	8.2	2	±5%	150	1
SZ3C6.2	SMD	DO-213AB/Melf	Industrial Grade	Single	active	6.2	3	±5%	150	1
SZ3C6.8	SMD	DO-213AB/Melf	Industrial Grade	Single	active	6.8	3	±5%	150	1
SZ3C7.5	SMD	DO-213AB/Melf	Industrial Grade	Single	active	7.5	3	±5%	150	1
SZ3C8.2	SMD	DO-213AB/Melf	Industrial Grade	Single	active	8.2	3	±5%	150	1
Z2SMB6.8	SMD	DO-214AA/SMB	Industrial Grade	Single	active	6.8	3	±5%	150	1
Z2SMB7.5-Q	SMD	DO-214AA/SMB	AEC-Q compliant	Single	active	7.5	3	±5%	150	1
Z2SMB7.5	SMD	DO-214AA/SMB	Industrial Grade	Single	active	7.5	3	±5%	150	1
Z2SMB8.2	SMD	DO-214AA/SMB	Industrial Grade	Single	active	8.2	3	±5%	150	1
Z3SMC6.8	SMD	DO-214AB/SMC	Industrial Grade	Single	active	6.8	3	±5%	150	1
Z3SMC7.5	SMD	DO-214AB/SMC	Industrial Grade	Single	active	7.5	3	±5%	150	1
Z3SMC8.2	SMD	DO-214AB/SMC	Industrial Grade	Single	active	8.2	3	±5%	150	1
ZMY5.6G	SMD	DO-213AB/Melf-Glass	Industrial Grade	Single	active	5.6	1	±5%	175	1

ZMY5B6G	SMD	DO-213AB/Melf-Glass	Industrial Grade	Single	active	5.6	1	±2%	150	1
ZMY6.2G	SMD	DO-213AB/Melf-Glass	Industrial Grade	Single	active	6.2	1	±5%	175	1
ZMY6.8G	SMD	DO-213AB/Melf-Glass	Industrial Grade	Single	active	6.8	1	±5%	175	1
ZMY6B2G	SMD	DO-213AB/Melf-Glass	Industrial Grade	Single	active	6.2	1	±2%	150	1
ZMY6B8G	SMD	DO-213AB/Melf-Glass	Industrial Grade	Single	active	6.8	1	±2%	150	1
ZMY7.5G	SMD	DO-213AB/Melf-Glass	Industrial Grade	Single	active	7.5	1	±5%	175	1
ZMY7B5G	SMD	DO-213AB/Melf-Glass	Industrial Grade	Single	active	7.5	1	±2%	150	1
ZMY8.2G	SMD	DO-213AB/Melf-Glass	Industrial Grade	Single	active	8.2	1	±5%	175	1
ZMY8B2G	SMD	DO-213AB/Melf-Glass	Industrial Grade	Single	active	8.2	1	±2%	150	1
ZPY5.6	Axial	DO-41	Industrial Grade	Single	active	5.6	1.3	±5%	150	1
ZPY6.2	Axial	DO-41	Industrial Grade	Single	active	6.2	1.3	±5%	150	1
ZPY6.8	Axial	DO-41	Industrial Grade	Single	active	6.8	1.3	±5%	150	1
ZPY7.5	Axial	DO-41	Industrial Grade	Single	active	7.5	1.3	±5%	150	1
ZPY8.2	Axial	DO-41	Industrial Grade	Single	active	8.2	1.3	±5%	150	1
ZPY8B2	Axial	DO-41	Industrial Grade	Single	active	8.2	1.3	±2%	150	1
ZY5.6	Axial	DO-41	Industrial Grade	Single	active	5.6	2	±5%	150	1
ZY6.2	Axial	DO-41	Industrial Grade	Single	active	6.2	2	±5%	150	1
ZY6.8	Axial	DO-41	Industrial Grade	Single	active	6.8	2	±5%	150	1
ZY7.5	Axial	DO-41	Industrial Grade	Single	active	7.5	2	±5%	150	1
ZY8.2	Axial	DO-41	Industrial Grade	Single	active	8.2	2	±5%	150	1
1N5345B	Axial	DO-201	Industrial Grade	Single	active	8.7	5	±5%	150	2
1N5346B	Axial	DO-201	Industrial Grade	Single	active	9.1	5	±5%	150	2
1N5347B-Q	Axial	DO-201	AEC-Q compliant	Single	engineering sample	10	5	±5%	150	2
1N5347B	Axial	DO-201	Industrial Grade	Single	active	10	5	±5%	150	2
3EZ10	Axial	DO-15	Industrial Grade	Single	active	10	3	±5%	150	2
3EZ9.1	Axial	DO-15	Industrial Grade	Single	active	9.1	3	±5%	150	2
MM1Z4735A	SMD	SOD-123FL	Industrial Grade	Single	active	6.2	1	±5%	150	2
SMZ10	SMD	DO-213AB/Melf	Industrial Grade	Single	active	10	2	±5%	150	2
SMZ9.1	SMD	DO-213AB/Melf	Industrial Grade	Single	active	9.1	2	±5%	150	2
SZ3C10	SMD	DO-213AB/Melf	Industrial Grade	Single	active	10	3	±5%	150	2
SZ3C9.1	SMD	DO-213AB/Melf	Industrial Grade	Single	active	9.1	3	±5%	150	2
Z2SMB10	SMD	DO-214AA/SMB	Industrial Grade	Single	active	10	3	±5%	150	2
Z2SMB9.1	SMD	DO-214AA/SMB	Industrial Grade	Single	active	9.1	3	±5%	150	2

Z3SMC10	SMD	DO-214AB/SMC	Industrial Grade	Single	active	10	3	±5%	150	2
Z3SMC9.1	SMD	DO-214AB/SMC	Industrial Grade	Single	active	9.1	3	±5%	150	2
ZMY10	SMD	DO-213AB/Melf	Industrial Grade	Single	active	10	1.3	±5%	150	2
ZMY10B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	10	1.3	±2%	150	2
ZMY5.1G	SMD	DO-213AB/Melf-Glass	Industrial Grade	Single	active	5.1	1	±5%	175	2
ZMY5B1G	SMD	DO-213AB/Melf-Glass	Industrial Grade	Single	active	5.1	1	±2%	150	2
ZMY9.1G	SMD	DO-213AB/Melf-Glass	Industrial Grade	Single	active	9.1	1	±5%	175	2
ZMY9B1G	SMD	DO-213AB/Melf-Glass	Industrial Grade	Single	active	9.1	1	±2%	150	2
ZPY10	Axial	DO-41	Industrial Grade	Single	active	10	1.3	±5%	150	2
ZPY10B	Axial	DO-41	Industrial Grade	Single	active	10	1.3	±2%	150	2
ZPY9.1	Axial	DO-41	Industrial Grade	Single	active	9.1	1.3	±5%	150	2
ZY10	Axial	DO-41	Industrial Grade	Single	active	10	2	±5%	150	2
ZY10B	Axial	DO-41	Industrial Grade	Single	active	10	2	±2%	150	2
ZY9.1	Axial	DO-41	Industrial Grade	Single	active	9.1	2	±5%	150	2
1N5348B	Axial	DO-201	Industrial Grade	Single	active	11	5	±5%	150	2.5
1N5349B-Q	Axial	DO-201	AEC-Q compliant	Single	active	12	2	±5%	150	2.5
1N5349B	Axial	DO-201	Industrial Grade	Single	active	12	5	±5%	150	2.5
1N5350B	Axial	DO-201	Industrial Grade	Single	active	13	5	±5%	150	2.5
1N5351B	Axial	DO-201	Industrial Grade	Single	active	14	5	±5%	150	2.5
1N5352B	Axial	DO-201	Industrial Grade	Single	active	15	5	±5%	150	2.5
1N5353B	Axial	DO-201	Industrial Grade	Single	active	16	5	±5%	150	2.5
1N5354B	Axial	DO-201	Industrial Grade	Single	active	17	5	±5%	150	2.5
1N5355B	Axial	DO-201	Industrial Grade	Single	active	18	5	±5%	150	2.5
1N5356B	Axial	DO-201	Industrial Grade	Single	active	19	5	±5%	150	3
1N5357B	Axial	DO-201	Industrial Grade	Single	active	20	5	±5%	150	3
1N5358B	Axial	DO-201	Industrial Grade	Single	active	22	5	±5%	150	3.5
1N5359B	Axial	DO-201	Industrial Grade	Single	active	24	5	±5%	150	3.5
MM1Z4736A	SMD	SOD-123FL	Industrial Grade	Single	active	6.8	1	±5%	150	3.5
1N5360B	Axial	DO-201	Industrial Grade	Single	active	25	5	±5%	150	4
3EZ12	Axial	DO-15	Industrial Grade	Single	active	12	3	±5%	150	4
MM1Z4737A	SMD	SOD-123FL	Industrial Grade	Single	active	7.5	1	±5%	150	4
SMZ11	SMD	DO-213AB/Melf	Industrial Grade	Single	active	11	2	±5%	150	4
SMZ11B	SMD	DO-213AB/Melf	Industrial Grade	Single	engineering sample	11	2	±2%	150	4

SMZ12	SMD	DO-213AB/Melf	Industrial Grade	Single	active	12	2	±5%	150	4
SZ3C11	SMD	DO-213AB/Melf	Industrial Grade	Single	active	11	3	±5%	150	4
SZ3C12	SMD	DO-213AB/Melf	Industrial Grade	Single	active	12	3	±5%	150	4
SZ3C12B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	12	3	±2%	150	4
Z1SMA7.5	SMD	DO-214AC/SMA	Industrial Grade	Single	active	7.5	1.5	±5%	150	4
Z2SMB11	SMD	DO-214AA/SMB	Industrial Grade	Single	active	11	3	±5%	150	4
Z2SMB11B	SMD	DO-214AA/SMB	Industrial Grade	Single	active	11	3	±2%	150	4
Z2SMB12	SMD	DO-214AA/SMB	Industrial Grade	Single	active	12	3	±5%	150	4
Z3SMC11	SMD	DO-214AB/SMC	Industrial Grade	Single	active	11	3	±5%	150	4
Z3SMC12	SMD	DO-214AB/SMC	Industrial Grade	Single	active	12	3	±5%	150	4
ZMD7.5	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	7.5	1	±5%	175	4
ZMY11	SMD	DO-213AB/Melf	Industrial Grade	Single	active	11	1.3	±5%	150	4
ZMY11B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	11	1.3	±2%	150	4
ZMY12	SMD	DO-213AB/Melf	Industrial Grade	Single	active	12	1.3	±5%	150	4
ZMY12B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	12	1.3	±2%	150	4
ZMY3.9G	SMD	DO-213AB/Melf-Glass	Industrial Grade	Single	active	3.9	1	±5%	175	4
ZMY4.3G	SMD	DO-213AB/Melf-Glass	Industrial Grade	Single	active	4.3	1	±5%	175	4
ZMY4.7G	SMD	DO-213AB/Melf-Glass	Industrial Grade	Single	active	4.7	1	±5%	175	4
ZPD7.5	Axial	DO-35	Industrial Grade	Single	active	7.5	0.5	±5%	175	4
ZPY11	Axial	DO-41	Industrial Grade	Single	active	11	1.3	±5%	150	4
ZPY11B	Axial	DO-41	Industrial Grade	Single	active	11	1.3	±2%	150	4
ZPY12	Axial	DO-41	Industrial Grade	Single	active	12	1.3	±5%	150	4
ZPY12B	Axial	DO-41	Industrial Grade	Single	active	12	1.3	±2%	150	4
ZY11	Axial	DO-41	Industrial Grade	Single	active	11	2	±5%	150	4
ZY11B	Axial	DO-41	Industrial Grade	Single	active	11	2	±2%	150	4
ZY12	Axial	DO-41	Industrial Grade	Single	active	12	2	±5%	150	4
ZY12B	Axial	DO-41	Industrial Grade	Single	active	12	2	±2%	150	4
MM1Z4738A-Q	SMD	SOD-123FL	AEC-Q compliant	Single	engineering sample	8.2	1	±5%	150	4.5
MM1Z4738A	SMD	SOD-123FL	Industrial Grade	Single	active	8.2	1	±5%	150	4.5
Z1SMA6.8	SMD	DO-214AC/SMA	Industrial Grade	Single	active	6.8	1.5	±5%	150	4.5
Z1SMA8.2-Q	SMD	DO-214AC/SMA	AEC-Q compliant	Single	active	8.2	1.5	±5%	150	4.5
Z1SMA8.2	SMD	DO-214AC/SMA	Industrial Grade	Single	active	8.2	1.5	±5%	150	4.5
ZMD6.8	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	6.8	1	±5%	175	4.5

ZMD8.2	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	8.2	1	±5%	175	4.5
ZPD6.8	Axial	DO-35	Industrial Grade	Single	active	6.8	0.5	±5%	175	4.5
ZPD6B8	Axial	DO-35	Industrial Grade	Single	active	6.8	0.5	±2%	175	4.5
ZPD8.2	Axial	DO-35	Industrial Grade	Single	active	8.2	0.5	±5%	175	4.5
ZPD8B2	Axial	DO-35	Industrial Grade	Single	active	8.2	0.5	±2%	175	4.5
Z1SMA6.2	SMD	DO-214AC/SMA	Industrial Grade	Single	active	6.2	1.5	±5%	150	4.8
Z1SMA9.1-Q	SMD	DO-214AC/SMA	AEC-Q compliant	Single	active	9.1	1.5	±5%	150	4.8
Z1SMA9.1	SMD	DO-214AC/SMA	Industrial Grade	Single	active	9.1	1.5	±5%	150	4.8
ZMD6.2	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	6.2	1	±5%	175	4.8
ZMD9.1	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	9.1	1	±5%	175	4.8
1N5361B	Axial	DO-201	Industrial Grade	Single	active	27	5	±5%	150	5
3EZ13	Axial	DO-15	Industrial Grade	Single	active	13	3	±5%	150	5
3EZ15	Axial	DO-15	Industrial Grade	Single	active	15	3	±5%	150	5
MM1Z4734A-Q	SMD	SOD-123FL	AEC-Q compliant	Single	active	5.6	1	±5%	150	5
MM1Z4734A	SMD	SOD-123FL	Industrial Grade	Single	active	5.6	1	±5%	150	5
MM1Z4739A	SMD	SOD-123FL	Industrial Grade	Single	active	9.1	1	±5%	150	5
MMSZ5235B	SMD	SOD-123F	Industrial Grade	Single	active	6.8	0.5	±5%	150	5
SMZ13	SMD	DO-213AB/Melf	Industrial Grade	Single	active	13	2	±5%	150	5
SMZ15	SMD	DO-213AB/Melf	Industrial Grade	Single	active	15	2	±5%	150	5
SMZ15B	SMD	DO-213AB/Melf	Industrial Grade	Single	engineering sample	15	2	±2%	150	5
SZ3C13	SMD	DO-213AB/Melf	Industrial Grade	Single	active	13	3	±5%	150	5
SZ3C13B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	13	3	±2%	150	5
SZ3C15	SMD	DO-213AB/Melf	Industrial Grade	Single	active	15	3	±5%	150	5
SZ3C15B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	15	3	±2%	150	5
Z2SMB13	SMD	DO-214AA/SMB	Industrial Grade	Single	active	13	3	±5%	150	5
Z2SMB15-Q	SMD	DO-214AA/SMB	AEC-Q compliant	Single	active	15	3	±5%	150	5
Z2SMB15	SMD	DO-214AA/SMB	Industrial Grade	Single	active	15	3	±5%	150	5
Z2SMB15B	SMD	DO-214AA/SMB	Industrial Grade	Single	active	15	3	±2%	150	5
Z3SMC13	SMD	DO-214AB/SMC	Industrial Grade	Single	active	13	3	±5%	150	5
Z3SMC15	SMD	DO-214AB/SMC	Industrial Grade	Single	active	15	3	±5%	150	5
ZMY13	SMD	DO-213AB/Melf	Industrial Grade	Single	active	13	1.3	±5%	150	5
ZMY13B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	13	1.3	±2%	150	5
ZMY15	SMD	DO-213AB/Melf	Industrial Grade	Single	active	15	1.3	±5%	150	5

ZMY15B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	15	1.3	±2%	150	5
ZMY3.0G	SMD	DO-213AB/Melf-Glass	Industrial Grade	Single	active	3	1	±5%	175	5
ZMY3.3G	SMD	DO-213AB/Melf-Glass	Industrial Grade	Single	active	3.3	1	±5%	175	5
ZMY3.6G	SMD	DO-213AB/Melf-Glass	Industrial Grade	Single	active	3.6	1	±5%	175	5
ZPD6.2	Axial	DO-35	Industrial Grade	Single	active	6.2	0.5	±5%	175	5
ZPD6B2	Axial	DO-35	Industrial Grade	Single	active	6.2	0.5	±2%	175	5
ZPD9.1	Axial	DO-35	Industrial Grade	Single	active	9.1	0.5	±5%	175	5
ZPD9B1	Axial	DO-35	Industrial Grade	Single	active	9.1	0.5	±2%	175	5
ZPY13	Axial	DO-41	Industrial Grade	Single	active	13	1.3	±5%	150	5
ZPY13B	Axial	DO-41	Industrial Grade	Single	active	13	1.3	±2%	150	5
ZPY15	Axial	DO-41	Industrial Grade	Single	active	15	1.3	±5%	150	5
ZPY15B	Axial	DO-41	Industrial Grade	Single	active	15	1.3	±2%	150	5
ZY13	Axial	DO-41	Industrial Grade	Single	active	13	2	±5%	150	5
ZY13B	Axial	DO-41	Industrial Grade	Single	active	13	2	±2%	150	5
ZY15	Axial	DO-41	Industrial Grade	Single	active	15	2	±5%	150	5
ZY15B	Axial	DO-41	Industrial Grade	Single	active	15	2	±2%	150	5
Z1SMA10	SMD	DO-214AC/SMA	Industrial Grade	Single	active	10	1.5	±5%	150	5.2
ZMD10	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	10	1	±5%	175	5.2
ZMD10B	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	10	1	±2%	175	5.2
ZPD10	Axial	DO-35	Industrial Grade	Single	active	10	0.5	±5%	175	5.2
ZPD10B	Axial	DO-35	Industrial Grade	Single	active	10	0.5	±2%	175	5.2
1N5362B	Axial	DO-201	Industrial Grade	Single	active	28	5	±5%	150	6
3EZ16	Axial	DO-15	Industrial Grade	Single	active	16	3	±5%	150	6
3EZ18	Axial	DO-15	Industrial Grade	Single	active	18	3	±5%	150	6
3EZ20	Axial	DO-15	Industrial Grade	Single	active	20	3	±5%	150	6
3EZ22	Axial	DO-15	Industrial Grade	Single	active	22	3	±5%	150	6
MMSZ5236B-AQ	SMD	SOD-123F	AEC-Q101	Single	engineering sample	7.5	0.5	±5%	150	6
MMSZ5236B-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	7.5	0.5	±5%	150	6
MMSZ5236B	SMD	SOD-123F	Industrial Grade	Single	active	7.5	0.5	±5%	150	6
SMZ16	SMD	DO-213AB/Melf	Industrial Grade	Single	active	16	2	±5%	150	6
SMZ18	SMD	DO-213AB/Melf	Industrial Grade	Single	active	18	2	±5%	150	6
SMZ20	SMD	DO-213AB/Melf	Industrial Grade	Single	active	20	2	±5%	150	6
SMZ20B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	20	2	±2%	150	6

SMZ22	SMD	DO-213AB/Melf	Industrial Grade	Single	active	22	2	±5%	150	6
SZ3C16	SMD	DO-213AB/Melf	Industrial Grade	Single	active	16	3	±5%	150	6
SZ3C18	SMD	DO-213AB/Melf	Industrial Grade	Single	active	18	3	±5%	150	6
SZ3C20	SMD	DO-213AB/Melf	Industrial Grade	Single	active	20	3	±5%	150	6
SZ3C22	SMD	DO-213AB/Melf	Industrial Grade	Single	active	22	3	±5%	150	6
Z1SMA11	SMD	DO-214AC/SMA	Industrial Grade	Single	active	11	1.5	±5%	150	6
Z2SMB16	SMD	DO-214AA/SMB	Industrial Grade	Single	active	16	3	±5%	150	6
Z2SMB18	SMD	DO-214AA/SMB	Industrial Grade	Single	active	18	3	±5%	150	6
Z2SMB20	SMD	DO-214AA/SMB	Industrial Grade	Single	active	20	3	±5%	150	6
Z2SMB22	SMD	DO-214AA/SMB	Industrial Grade	Single	active	22	3	±5%	150	6
Z3SMC16	SMD	DO-214AB/SMC	Industrial Grade	Single	active	16	3	±5%	150	6
Z3SMC18	SMD	DO-214AB/SMC	Industrial Grade	Single	active	18	3	±5%	150	6
Z3SMC20	SMD	DO-214AB/SMC	Industrial Grade	Single	active	20	3	±5%	150	6
Z3SMC22	SMD	DO-214AB/SMC	Industrial Grade	Single	active	22	3	±5%	150	6
ZMD11	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	11	1	±5%	175	6
ZMD11B	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	11	1	±2%	175	6
ZMY16	SMD	DO-213AB/Melf	Industrial Grade	Single	active	16	1.3	±5%	150	6
ZMY16B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	16	1.3	±2%	150	6
ZMY18	SMD	DO-213AB/Melf	Industrial Grade	Single	active	18	1.3	±5%	150	6
ZMY18B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	18	1.3	±2%	150	6
ZMY20	SMD	DO-213AB/Melf	Industrial Grade	Single	active	20	1.3	±5%	150	6
ZMY20B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	20	1.3	±2%	150	6
ZMY22	SMD	DO-213AB/Melf	Industrial Grade	Single	active	22	1.3	±5%	150	6
ZMY22R7	SMD	DO-213AB/Melf	Industrial Grade	Single	active	22	1.3	±5%	150	6
ZPD11	Axial	DO-35	Industrial Grade	Single	active	11	0.5	±5%	175	6
ZPD11B	Axial	DO-35	Industrial Grade	Single	active	11	0.5	±2%	175	6
ZPY16	Axial	DO-41	Industrial Grade	Single	active	16	1.3	±5%	150	6
ZPY16B	Axial	DO-41	Industrial Grade	Single	active	16	1.3	±2%	150	6
ZPY18	Axial	DO-41	Industrial Grade	Single	active	18	1.3	±5%	150	6
ZPY18B	Axial	DO-41	Industrial Grade	Single	active	18	1.3	±2%	150	6
ZPY20	Axial	DO-41	Industrial Grade	Single	active	20	1.3	±5%	150	6
ZPY20B	Axial	DO-41	Industrial Grade	Single	active	20	1.3	±2%	150	6
ZPY22	Axial	DO-41	Industrial Grade	Single	active	22	1.3	±5%	150	6

ZPY22B	Axial	DO-41	Industrial Grade	Single	active	22	1.3	±2%	150	6
ZY16	Axial	DO-41	Industrial Grade	Single	active	16	2	±5%	150	6
ZY16B	Axial	DO-41	Industrial Grade	Single	active	16	2	±2%	150	6
ZY18	Axial	DO-41	Industrial Grade	Single	active	18	2	±5%	150	6
ZY18B	Axial	DO-41	Industrial Grade	Single	active	18	2	±2%	150	6
ZY20	Axial	DO-41	Industrial Grade	Single	active	20	2	±5%	150	6
ZY20B	Axial	DO-41	Industrial Grade	Single	active	20	2	±2%	150	6
ZY22	Axial	DO-41	Industrial Grade	Single	active	22	2	±5%	150	6
ZY22B	Axial	DO-41	Industrial Grade	Single	active	22	2	±2%	150	6
Z1SMA1	SMD	DO-214AC/SMA	Industrial Grade	Single	active	0.77	1.5	±5%	150	6.5
ZMD1	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	0.77	1	±5%	175	6.5
3EZ24	Axial	DO-15	Industrial Grade	Single	active	24	3	±5%	150	7
3EZ27	Axial	DO-15	Industrial Grade	Single	active	27	3	±5%	150	7
MM1Z4730A	SMD	SOD-123FL	Industrial Grade	Single	active	3.9	1	±5%	150	7
MM1Z4733A-Q	SMD	SOD-123FL	AEC-Q compliant	Single	active	5.1	1	±5%	150	7
MM1Z4733A	SMD	SOD-123FL	Industrial Grade	Single	active	5.1	1	±5%	150	7
MM1Z4740A	SMD	SOD-123FL	Industrial Grade	Single	active	10	1	±5%	150	7
MMSZ5234B-AQ	SMD	SOD-123F	AEC-Q101	Single	active	6.2	0.5	±5%	150	7
MMSZ5234B	SMD	SOD-123F	Industrial Grade	Single	active	6.2	0.5	±5%	150	7
SMZ22B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	22	2	±2%	150	7
SMZ24	SMD	DO-213AB/Melf	Industrial Grade	Single	active	24	2	±5%	150	7
SMZ24B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	24	2	±2%	150	7
SMZ27	SMD	DO-213AB/Melf	Industrial Grade	Single	active	27	2	±5%	150	7
SZ3C24	SMD	DO-213AB/Melf	Industrial Grade	Single	active	24	3	±5%	150	7
SZ3C27	SMD	DO-213AB/Melf	Industrial Grade	Single	active	27	3	±5%	150	7
Z1SMA12-Q	SMD	DO-214AC/SMA	AEC-Q compliant	Single	engineering sample	12	1.5	±5%	150	7
Z1SMA12	SMD	DO-214AC/SMA	Industrial Grade	Single	active	12	1.5	±5%	150	7
Z2SMB24	SMD	DO-214AA/SMB	Industrial Grade	Single	active	24	3	±5%	150	7
Z2SMB27-Q	SMD	DO-214AA/SMB	AEC-Q compliant	Single	active	27	3	±5%	150	7
Z2SMB27	SMD	DO-214AA/SMB	Industrial Grade	Single	active	27	3	±5%	150	7
Z3SMC24	SMD	DO-214AB/SMC	Industrial Grade	Single	active	24	3	±5%	150	7
Z3SMC27	SMD	DO-214AB/SMC	Industrial Grade	Single	active	27	3	±5%	150	7
ZMD12	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	12	1	±5%	175	7

ZMD12B	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	12	1	±2%	175	7
ZMM7.5	SMD	SOD-80	Industrial Grade	Single	active	7.5	0.5	±5%	175	7
ZMM7B5	SMD	SOD-80	Industrial Grade	Single	active	7.5	0.5	±2%	175	7
ZMM8.2	SMD	SOD-80	Industrial Grade	Single	active	8.2	0.5	±5%	175	7
ZMM8B2	SMD	SOD-80	Industrial Grade	Single	active	8.2	0.5	±2%	175	7
ZMY22B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	22	1.3	±2%	150	7
ZMY24	SMD	DO-213AB/Melf	Industrial Grade	Single	active	24	1.3	±5%	150	7
ZMY24B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	24	1.3	±2%	150	7
ZMY27	SMD	DO-213AB/Melf	Industrial Grade	Single	active	27	1.3	±5%	150	7
ZMY27B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	27	1.3	±2%	150	7
ZPD12	Axial	DO-35	Industrial Grade	Single	active	12	0.5	±5%	175	7
ZPD7B5	Wire-lead	DO-35	Industrial Grade	Single	active	7.5	0.5	±2%	175	7
ZPY24	Axial	DO-41	Industrial Grade	Single	active	24	1.3	±5%	150	7
ZPY24B	Axial	DO-41	Industrial Grade	Single	active	24	1.3	±2%	150	7
ZPY27	Axial	DO-41	Industrial Grade	Single	active	27	1.3	±5%	150	7
ZPY27B	Axial	DO-41	Industrial Grade	Single	active	27	1.3	±2%	150	7
ZY24	Axial	DO-41	Industrial Grade	Single	active	24	2	±5%	150	7
ZY24B	Axial	DO-41	Industrial Grade	Single	active	24	2	±2%	150	7
ZY27	Axial	DO-41	Industrial Grade	Single	active	27	2	±5%	150	7
ZY27B	Axial	DO-41	Industrial Grade	Single	active	27	2	±2%	150	7
1N5363B	Axial	DO-201	Industrial Grade	Single	active	30	5	±5%	150	8
3EZ11	Axial	DO-15	Industrial Grade	Single	active	11	3	±5%	150	8
3EZ30	Axial	DO-15	Industrial Grade	Single	active	30	3	±5%	150	8
3EZ33	Axial	DO-15	Industrial Grade	Single	active	33	3	±5%	150	8
MM1Z4741A	SMD	SOD-123FL	Industrial Grade	Single	active	11	1	±5%	150	8
MMSZ5237B-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	8.2	0.5	±5%	150	8
MMSZ5237B	SMD	SOD-123F	Industrial Grade	Single	active	8.2	0.5	±5%	150	8
SMZ30	SMD	DO-213AB/Melf	Industrial Grade	Single	active	30	2	±5%	150	8
SMZ33	SMD	DO-213AB/Melf	Industrial Grade	Single	active	33	2	±5%	150	8
SZ3C30	SMD	DO-213AB/Melf	Industrial Grade	Single	active	30	3	±5%	150	8
SZ3C33	SMD	DO-213AB/Melf	Industrial Grade	Single	active	33	3	±5%	150	8
Z2SMB30	SMD	DO-214AA/SMB	Industrial Grade	Single	active	30	3	±5%	150	8
Z2SMB33	SMD	DO-214AA/SMB	Industrial Grade	Single	active	33	3	±5%	150	8

Z3SMC30	SMD	DO-214AB/SMC	Industrial Grade	Single	active	30	3	±5%	150	8
Z3SMC33	SMD	DO-214AB/SMC	Industrial Grade	Single	active	33	3	±5%	150	8
ZMC6.8	SMD	Quadro MicroMelf	Industrial Grade	Single	end of life	6.8	0.5	±5%	175	8
ZMM10HCB	SMD	SOD-80	Industrial Grade	Single	active	10	0.5	±2%	175	8
ZMM10HCC	SMD	SOD-80	Industrial Grade	Single	active	10	0.5	±2%	175	8
ZMM1	SMD	SOD-80	Industrial Grade	Single	active	0.77	0.5	±5%	175	8
ZMM6.8	SMD	SOD-80	Industrial Grade	Single	active	6.8	0.5	±5%	175	8
ZMM6B8	SMD	SOD-80	Industrial Grade	Single	active	6.8	0.5	±2%	175	8
ZMM6V8HCC	SMD	SOD-80	Industrial Grade	Single	active	6.8	0.5	±2%	175	8
ZMM8V2HCC	SMD	SOD-80	Industrial Grade	Single	active	8.2	0.5	±2%	175	8
ZMY30	SMD	DO-213AB/Melf	Industrial Grade	Single	active	30	1.3	±5%	150	8
ZMY30B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	30	1.3	±2%	150	8
ZMY33	SMD	DO-213AB/Melf	Industrial Grade	Single	active	33	1.3	±5%	150	8
ZMY33B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	33	1.3	±2%	150	8
ZPY30	Axial	DO-41	Industrial Grade	Single	active	30	1.3	±5%	150	8
ZPY30B	Axial	DO-41	Industrial Grade	Single	active	30	1.3	±2%	150	8
ZPY33	Axial	DO-41	Industrial Grade	Single	active	33	1.3	±5%	150	8
ZPY33B	Axial	DO-41	Industrial Grade	Single	active	33	1.3	±2%	150	8
ZY30	Axial	DO-41	Industrial Grade	Single	active	30	2	±5%	150	8
ZY30B	Axial	DO-41	Industrial Grade	Single	active	30	2	±2%	150	8
ZY33	Axial	DO-41	Industrial Grade	Single	active	33	2	±5%	150	8
ZY33B	Axial	DO-41	Industrial Grade	Single	active	33	2	±2%	150	8
MM1Z4742A	SMD	SOD-123FL	Industrial Grade	Single	active	12	1	±5%	150	9
Z1SMA13-Q	SMD	DO-214AC/SMA	AEC-Q compliant	Single	active	13	1.5	±5%	150	9
Z1SMA13	SMD	DO-214AC/SMA	Industrial Grade	Single	active	13	1.5	±5%	150	9
ZMD13	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	13	1	±5%	175	9
ZMD13B	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	13	1	±2%	175	9
ZPD13	Axial	DO-35	Industrial Grade	Single	active	13	0.5	±5%	175	9
ZPD13B	Axial	DO-35	Industrial Grade	Single	active	13	0.5	±2%	175	9
1N5364B	Axial	DO-201	Industrial Grade	Single	active	33	5	±5%	150	10
2BZX84C6V2	SMD	SOT-23	Industrial Grade	Common Anode	active	6.2	0.3	±5%	150	10
BZT52C6V2GW	SMD	SOD-123	Industrial Grade	Single	active	6.2	0.35	±5%	150	10
BZX84B6V2-AQ	SMD	SOT-23	AEC-Q101	Single	active	6.2	0.3	±2%	150	10

BZX84B6V2-Q	SMD	SOT-23	AEC-Q compliant	Single	active	6.2	0.3	±2%	150	10
BZX84B6V2	SMD	SOT-23	Industrial Grade	Single	active	6.2	0.3	±2%	150	10
BZX84C6V2-AQ	SMD	SOT-23	AEC-Q101	Single	active	6.2	0.3	±5%	150	10
BZX84C6V2	SMD	SOT-23	Industrial Grade	Single	active	6.2	0.3	±5%	150	10
MM1Z4728A	SMD	SOD-123FL	Industrial Grade	Single	active	3.3	1	±5%	150	10
MM1Z4743A	SMD	SOD-123FL	Industrial Grade	Single	active	13	1	±5%	150	10
MM1Z4745A	SMD	SOD-123FL	Industrial Grade	Single	active	16	1	±5%	150	10
MM3Z6V2-AQ	SMD	SOD-323F	AEC-Q101	Single	active	6.2	0.3	±5%	150	10
MM3Z6V2-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	6.2	0.3	±5%	150	10
MM3Z6V2	SMD	SOD-323F	Industrial Grade	Single	active	6.2	0.3	±5%	150	10
MM5Z6V2	SMD	SOD-523	Industrial Grade	Single	active	6.2	0.3	±5%	150	10
MMS3Z6B2GW-Q	SMD	SOD-323	AEC-Q compliant	Single	active	6.2	0.3	±2%	150	10
MMSZ5239B	SMD	SOD-123F	Industrial Grade	Single	active	9.1	0.5	±5%	150	10
Z1SMA5.6	SMD	DO-214AC/SMA	Industrial Grade	Single	active	5.6	1.5	±5%	150	10
ZMC6.2	SMD	Quadro MicroMelf	Industrial Grade	Single	end of life	6.2	0.5	±5%	175	10
ZMC9.1	SMD	Quadro MicroMelf	Industrial Grade	Single	end of life	9.1	0.5	±5%	175	10
ZMD5.6	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	5.6	1	±5%	175	10
ZMM6.2	SMD	SOD-80	Industrial Grade	Single	active	6.2	0.5	±5%	175	10
ZMM6B2	SMD	SOD-80	Industrial Grade	Single	active	6.2	0.5	±2%	175	10
ZMM6V2HCB	SMD	SOD-80	Industrial Grade	Single	active	6.2	0.5	±2%	175	10
ZMM9.1	SMD	SOD-80	Industrial Grade	Single	active	9.1	0.5	±5%	175	10
ZMM9B1	SMD	SOD-80	Industrial Grade	Single	active	9.1	0.5	±2%	175	10
ZPD5.6	Axial	DO-35	Industrial Grade	Single	active	5.6	0.5	±5%	175	10
ZPD5B6	Axial	DO-35	Industrial Grade	Single	active	5.6	0.5	±2%	175	10
1N5365B	Axial	DO-201	Industrial Grade	Single	active	36	5	±5%	150	11
MMSZ5232B-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	5.6	0.5	±5%	150	11
MMSZ5232B	SMD	SOD-123F	Industrial Grade	Single	active	5.6	0.5	±5%	150	11
MMSZ5232CR13-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	5.6	0.5	±2%	150	11
Z1SMA15-AQ	SMD	DO-214AC/SMA	AEC-Q101	Single	active	15	1.5	±5%	150	11
Z1SMA15-Q	SMD	DO-214AC/SMA	AEC-Q compliant	Single	active	15	1.5	±5%	150	11
Z1SMA15	SMD	DO-214AC/SMA	Industrial Grade	Single	active	15	1.5	±5%	150	11
ZMD15	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	15	1	±5%	175	11
ZMD15B	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	15	1	±2%	175	11

ZPD15	Axial	DO-35	Industrial Grade	Single	active	15	0.5	±5%	175	11
ZPD15B	Axial	DO-35	Industrial Grade	Single	active	15	0.5	±2%	175	11
ZMM12HCB	SMD	SOD-80	Industrial Grade	Single	active	12	0.5	±2%	175	12
MMSZ5243B-AQ	SMD	SOD-123F	AEC-Q101	Single	active	13	0.5	±5%	150	13
MMSZ5243B	SMD	SOD-123F	Industrial Grade	Single	active	13	0.5	±5%	150	13
Z1SMA16-Q	SMD	DO-214AC/SMA	AEC-Q compliant	Single	active	16	1.5	±5%	150	13
Z1SMA16	SMD	DO-214AC/SMA	Industrial Grade	Single	active	16	1.5	±5%	150	13
ZMD16	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	16	1	±5%	175	13
ZMD16B	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	16	1	±2%	175	13
ZMM5V6HCB	SMD	SOD-80	Industrial Grade	Single	active	5.6	0.5	±2%	175	13
ZMM5V6HCC	SMD	SOD-80	Industrial Grade	Single	active	5.6	0.5	±2%	175	13
ZPD16	Axial	DO-35	Industrial Grade	Single	active	16	0.5	±5%	175	13
ZPD16B	Axial	DO-35	Industrial Grade	Single	active	16	0.5	±2%	175	13
1N5366B	Axial	DO-201	Industrial Grade	Single	active	39	5	±5%	150	14
MM1Z4744A-Q	SMD	SOD-123FL	AEC-Q compliant	Single	engineering sample	15	1	±5%	150	14
MM1Z4744A	SMD	SOD-123FL	Industrial Grade	Single	active	15	1	±5%	150	14
ZMM13HCB	SMD	SOD-80	Industrial Grade	Single	active	13	0.5	±2%	175	14
2BZX84C6V8-AQ	SMD	SOT-23	AEC-Q101	Common Anode	active	6.8	0.3	±5%	150	15
2BZX84C6V8	SMD	SOT-23	Industrial Grade	Common Anode	active	6.8	0.3	±5%	150	15
2BZX84C7V5-Q	SMD	SOT-23	AEC-Q compliant	Common Anode	engineering sample	7.5	0.3	±5%	150	15
2BZX84C7V5	SMD	SOT-23	Industrial Grade	Common Anode	active	7.5	0.3	±5%	150	15
2BZX84C8V2	SMD	SOT-23	Industrial Grade	Common Anode	active	8.2	0.3	±5%	150	15
2BZX84C9V1	SMD	SOT-23	Industrial Grade	Common Anode	active	9.1	0.3	±5%	150	15
BZT52C6V8GW	SMD	SOD-123	Industrial Grade	Single	active	6.8	0.35	±5%	150	15
BZT52C9V1GW	SMD	SOD-123	Industrial Grade	Single	active	9.1	0.35	±5%	150	15
BZX84B6V8-AQ	SMD	SOT-23	Industrial Grade	Single	engineering sample	6.8	0.3	±2%	150	15
BZX84B6V8-Q	SMD	SOT-23	AEC-Q compliant	Single	active	6.8	0.3	±2%	150	15
BZX84B6V8	SMD	SOT-23	Industrial Grade	Single	active	6.8	0.3	±2%	150	15
BZX84B7V5-AQ	SMD	SOT-23	AEC-Q101	Single	engineering sample	7.5	0.3	±2%	150	15
BZX84B7V5-Q	SMD	SOT-23	AEC-Q compliant	Single	active	7.5	0.3	±2%	150	15
BZX84B7V5	SMD	SOT-23	Industrial Grade	Single	active	7.5	0.3	±2%	150	15
BZX84B8V2-AQ	SMD	SOT-23	AEC-Q101	Single	active	8.2	0.3	±2%	150	15
BZX84B8V2	SMD	SOT-23	Industrial Grade	Single	active	8.2	0.3	±2%	150	15

BZX84B9V1-AQ	SMD	SOT-23	AEC-Q101	Single	active	9.1	0.3	±2%	150	15
BZX84B9V1	SMD	SOT-23	Industrial Grade	Single	active	9.1	0.3	±2%	150	15
BZX84C6V8-AQ	SMD	SOT-23	AEC-Q101	Single	active	6.8	0.3	±5%	150	15
BZX84C6V8-Q	SMD	SOT-23	AEC-Q compliant	Single	active	6.8	0.3	-	150	15
BZX84C6V8	SMD	SOT-23	Industrial Grade	Single	active	6.8	0.3	±5%	150	15
BZX84C7V5-AQ	SMD	SOT-23	AEC-Q101	Single	engineering sample	7.5	0.3	±5%	150	15
BZX84C7V5-C	SMD	SOT-23	Commercial Grade	Single	active	7.5	0.3	±5%	150	15
BZX84C7V5	SMD	SOT-23	Industrial Grade	Single	active	7.5	0.3	±5%	150	15
BZX84C8V2-AQ	SMD	SOT-23	AEC-Q101	Single	active	8.2	0.3	±5%	150	15
BZX84C8V2	SMD	SOT-23	Industrial Grade	Single	active	8.2	0.3	±5%	150	15
BZX84C9V1-AQ	SMD	SOT-23	AEC-Q101	Single	active	9.1	0.3	±5%	150	15
BZX84C9V1-Q	SMD	SOT-23	AEC-Q compliant	Single	active	9.1	0.3	±5%	150	15
BZX84C9V1	SMD	SOT-23	Industrial Grade	Single	active	9.1	0.3	±5%	150	15
BZX84C9V1W	SMD	SOT-323	Industrial Grade	Single	active	9.1	0.2	±5%	150	15
MM3Z6V8-AQ	SMD	SOD-323F	AEC-Q101	Single	active	6.8	0.3	±5%	150	15
MM3Z6V8-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	6.8	0.3	±5%	150	15
MM3Z6V8	SMD	SOD-323F	Industrial Grade	Single	active	6.8	0.3	±5%	150	15
MM3Z7V5-Q	SMD	SOD-323F	AEC-Q compliant	Single	engineering sample	7.5	0.3	±5%	150	15
MM3Z7V5	SMD	SOD-323F	Industrial Grade	Single	active	7.5	0.3	±5%	150	15
MM3Z8V2-AQ	SMD	SOD-323F	AEC-Q101	Single	active	8.2	0.3	±5%	150	15
MM3Z8V2-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	8.2	0.3	±5%	150	15
MM3Z8V2	SMD	SOD-323F	Industrial Grade	Single	active	8.2	0.3	±5%	150	15
MM3Z9V1	SMD	SOD-323F	Industrial Grade	Single	active	9.1	0.3	±5%	150	15
MM3Z9V1GW	SMD	SOD-323	Industrial Grade	Single	active	9.1	0.2	±5%	150	15
MM5Z6V8	SMD	SOD-523	Industrial Grade	Single	active	6.8	0.3	±5%	150	15
MM5Z7V5	SMD	SOD-523	Industrial Grade	Single	active	7.5	0.3	±5%	150	15
MM5Z8V2-AQ	SMD	SOD-523	AEC-Q101	Single	active	8.2	0.3	±5%	150	15
MM5Z8V2	SMD	SOD-523	Industrial Grade	Single	active	8.2	0.3	±5%	150	15
MM5Z9V1-AQ	SMD	SOD-523	AEC-Q101	Single	active	9.1	0.3	±5%	150	15
MM5Z9V1	SMD	SOD-523	Industrial Grade	Single	active	9.1	0.3	±5%	150	15
MMS3Z6B8GW-Q	SMD	SOD-323	AEC-Q compliant	Single	active	6.8	0.3	±2%	150	15
MMS3Z7B5GW-AQ	SMD	SOD-323	AEC-Q compliant	Single	active	7.5	0.3	±2%	150	15
MMS3Z7B5GW-Q	SMD	SOD-323	AEC-Q compliant	Single	active	7.5	0.3	±2%	150	15

MMS3Z7B5GW	SMD	SOD-323	Industrial Grade	Single	active	7.5	0.3	±2%	150	15
MMS3Z8B2GW-Q	SMD	SOD-323	AEC-Q compliant	Single	active	8.2	0.3	±2%	150	15
ZMC10	SMD	Quadro MicroMelf	Industrial Grade	Single	end of life	10	0.5	±5%	175	15
ZMM10	SMD	SOD-80	Industrial Grade	Single	active	10	0.5	±5%	175	15
ZMM10B	SMD	SOD-80	Industrial Grade	Single	active	10	0.5	±2%	175	15
ZMM10R13	SMD	SOD-80	Industrial Grade	Single	active	10	0.5	±5%	175	15
3EZ36	Axial	DO-15	Industrial Grade	Single	active	36	3	±5%	150	16
MMSZ5245B-AQ	SMD	SOD-123F	AEC-Q101	Single	active	15	0.5	±5%	150	16
MMSZ5245B-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	15	0.5	±5%	150	16
MMSZ5245B	SMD	SOD-123F	Industrial Grade	Single	active	15	0.5	±5%	150	16
MMSZ5245C	SMD	SOD-123F	Industrial Grade	Single	active	15	0.5	±2%	150	16
SMZ36	SMD	DO-213AB/Melf	Industrial Grade	Single	active	36	2	±5%	150	16
SMZ36B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	36	2	±2%	150	16
SZ3C36	SMD	DO-213AB/Melf	Industrial Grade	Single	active	36	3	±5%	150	16
Z2SMB36	SMD	DO-214AA/SMB	Industrial Grade	Single	active	36	3	±5%	150	16
Z3SMC36	SMD	DO-214AB/SMC	Industrial Grade	Single	active	36	3	±5%	150	16
ZMM15HCB	SMD	SOD-80	Industrial Grade	Single	active	15	0.5	±2%	175	16
ZMY36	SMD	DO-213AB/Melf	Industrial Grade	Single	active	36	1.3	±5%	150	16
ZMY36B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	36	1.3	±2%	150	16
ZPY36	Axial	DO-41	Industrial Grade	Single	active	36	1.3	±5%	150	16
ZPY36B	Axial	DO-41	Industrial Grade	Single	active	36	1.3	±2%	150	16
ZY36	Axial	DO-41	Industrial Grade	Single	active	36	2	±5%	150	16
ZY36B	Axial	DO-41	Industrial Grade	Single	active	36	2	±2%	150	16
MMBZ5231DW	SMD	SOT-363	Industrial Grade	Dual series	engineering sample	5.1	0.2	±5%	150	17
MMSZ5231B-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	5.1	0.5	±5%	150	17
MMSZ5231B	SMD	SOD-123F	Industrial Grade	Single	active	5.1	0.5	±5%	150	17
MMSZ5240B-AQ	SMD	SOD-123F	AEC-Q101	Single	engineering sample	10	0.5	±5%	150	17
MMSZ5240B-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	10	0.5	-	150	17
MMSZ5240B	SMD	SOD-123F	Industrial Grade	Single	active	10	0.5	±5%	150	17
MMSZ5240C	SMD	SOD-123F	Industrial Grade	Single	active	10	0.5	±2%	150	17
MMSZ5240CR13	SMD	SOD-123F	Industrial Grade	Single	active	10	0.5	±2%	150	17
MMSZ5246B-AQ	SMD	SOD-123F	AEC-Q101	Single	active	16	0.5	±5%	150	17
MMSZ5246B-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	16	0.5	±5%	150	17

MMSZ5246B	SMD	SOD-123F	Industrial Grade	Single	active	16	0.5	±5%	150	17
Z1SMA18-AQ	SMD	DO-214AC/SMA	AEC-Q101	Single	active	18	1.5	±5%	150	18
Z1SMA18-Q	SMD	DO-214AC/SMA	AEC-Q compliant	Single	active	18	1.5	±5%	150	18
Z1SMA18	SMD	DO-214AC/SMA	Industrial Grade	Single	active	18	1.5	±5%	150	18
ZMD18	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	18	1	±5%	175	18
ZMD18B	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	18	1	±2%	175	18
ZMM16HCB	SMD	SOD-80	Industrial Grade	Single	active	16	0.5	±2%	175	18
ZPD18	Axial	DO-35	Industrial Grade	Single	active	18	0.5	±5%	175	18
ZPD18B	Axial	DO-35	Industrial Grade	Single	active	18	0.5	±2%	175	18
MM5Z10-AQ	SMD	SOD-523	AEC-Q101	Single	engineering sample	10	0.3	±5%	150	19
MMSZ5230B-AQ	SMD	SOD-123F	AEC-Q101	Single	engineering sample	4.7	0.5	±5%	150	19
MMSZ5230B	SMD	SOD-123F	Industrial Grade	Single	active	4.7	0.5	±5%	150	19
1N5367B	Axial	DO-201	Industrial Grade	Single	active	43	5	±5%	150	20
2BZX84C10	SMD	SOT-23	Industrial Grade	Common Anode	active	10	0.3	±5%	150	20
2BZX84C11	SMD	SOT-23	Industrial Grade	Common Anode	active	11	0.3	±5%	150	20
3EZ39	Axial	DO-15	Industrial Grade	Single	active	39	3	±5%	150	20
BZT52C10GW	SMD	SOD-123	Industrial Grade	Single	active	10	0.35	±5%	150	20
BZX84B10-AQ	SMD	SOT-23	AEC-Q101	Single	active	10	0.3	±2%	150	20
BZX84B10	SMD	SOT-23	Industrial Grade	Single	active	10	0.3	±2%	150	20
BZX84B11	SMD	SOT-23	Industrial Grade	Single	active	11	0.3	±2%	150	20
BZX84C10-AQ	SMD	SOT-23	AEC-Q101	Single	active	10	0.3	±5%	150	20
BZX84C10-Q	SMD	SOT-23	AEC-Q compliant	Single	active	10	0.3	±5%	150	20
BZX84C10	SMD	SOT-23	Industrial Grade	Single	active	10	0.3	±5%	150	20
BZX84C11-AQ	SMD	SOT-23	AEC-Q101	Single	active	11	0.3	±5%	150	20
BZX84C11	SMD	SOT-23	Industrial Grade	Single	active	11	0.3	±5%	150	20
MM1Z4746A	SMD	SOD-123FL	Industrial Grade	Single	active	18	1	±5%	150	20
MM3Z10-AQ	SMD	SOD-323F	AEC-Q101	Single	active	10	0.3	±5%	150	20
MM3Z10	SMD	SOD-323F	Industrial Grade	Single	active	10	0.3	±5%	150	20
MM3Z11-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	11	0.3	±5%	150	20
MM3Z11	SMD	SOD-323F	Industrial Grade	Single	active	11	0.3	±5%	150	20
MM5Z10-Q	SMD	SOD-523	AEC-Q compliant	Single	active	10	0.3	±5%	150	20
MM5Z10	SMD	SOD-523	Industrial Grade	Single	active	10	0.3	±5%	150	20
MM5Z11	SMD	SOD-523	Industrial Grade	Single	active	11	0.3	±5%	150	20

MM5Z18	SMD	SOD-523	Industrial Grade	Single	active	18	0.3	±5%	150	20
MMS3Z10BGW-Q	SMD	SOD-323	AEC-Q compliant	Single	active	10	0.3	±2%	150	20
MMS3Z10BGW	SMD	SOD-323	Industrial Grade	Single	active	10	0.3	±2%	150	20
SMZ39	SMD	DO-213AB/Melf	Industrial Grade	Single	active	39	2	±5%	150	20
SZ3C39	SMD	DO-213AB/Melf	Industrial Grade	Single	active	39	3	±5%	150	20
Z1SMA20-AQ	SMD	DO-214AC/SMA	AEC-Q101	Single	active	20	1.5	±5%	150	20
Z1SMA20	SMD	DO-214AC/SMA	Industrial Grade	Single	active	20	1.5	±5%	150	20
Z2SMB39	SMD	DO-214AA/SMB	Industrial Grade	Single	active	39	3	±5%	150	20
Z3SMC39	SMD	DO-214AB/SMC	Industrial Grade	Single	active	39	3	±5%	150	20
ZMC12	SMD	Quadro MicroMelf	Industrial Grade	Single	end of life	12	0.5	±5%	175	20
ZMD20	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	20	1	±5%	175	20
ZMD20B	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	20	1	±2%	175	20
ZMM11	SMD	SOD-80	Industrial Grade	Single	active	11	0.5	±5%	175	20
ZMM11B	SMD	SOD-80	Industrial Grade	Single	active	11	0.5	±2%	175	20
ZMM12	SMD	SOD-80	Industrial Grade	Single	active	12	0.5	±5%	175	20
ZMM12B	SMD	SOD-80	Industrial Grade	Single	active	12	0.5	±2%	175	20
ZMM12R13	SMD	SOD-80	Industrial Grade	Single	active	12	0.5	±5%	175	20
ZMM5V1HCB	SMD	SOD-80	Industrial Grade	Single	active	5.1	0.5	±2%	175	20
ZMY39	SMD	DO-213AB/Melf	Industrial Grade	Single	active	39	1.3	±5%	150	20
ZMY39B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	39	1.3	±2%	150	20
ZPD12B	Wire-lead	DO-35	Industrial Grade	Single	active	12	0.5	±2%	175	20
ZPD20	Axial	DO-35	Industrial Grade	Single	active	20	0.5	±5%	175	20
ZPD20B	Axial	DO-35	Industrial Grade	Single	active	20	0.5	±2%	175	20
ZPY39	Axial	DO-41	Industrial Grade	Single	active	39	1.3	±5%	150	20
ZPY39B	Axial	DO-41	Industrial Grade	Single	active	39	1.3	±2%	150	20
ZY39	Axial	DO-41	Industrial Grade	Single	active	39	2	±5%	150	20
ZY39B	Axial	DO-41	Industrial Grade	Single	active	39	2	±2%	150	20
MMSZ5248B-AQ	SMD	SOD-123F	AEC-Q101	Single	engineering sample	18	0.5	±5%	150	21
MMSZ5248B	SMD	SOD-123F	Industrial Grade	Single	active	18	0.5	±5%	150	21
MM1Z4747A	SMD	SOD-123FL	Industrial Grade	Single	active	20	1	±5%	150	22
MMSZ5229B	SMD	SOD-123F	Industrial Grade	Single	active	4.3	0.5	±5%	150	22
MMSZ5241B	SMD	SOD-123F	Industrial Grade	Single	active	11	0.5	±5%	150	22
MM1Z4748A	SMD	SOD-123FL	Industrial Grade	Single	active	22	1	±5%	150	23

MMSZ5228B-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	3.9	0.5	±5%	150	23
MMSZ5228B	SMD	SOD-123F	Industrial Grade	Single	active	3.9	0.5	±5%	150	23
MMSZ5249B-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	19	0.5	±5%	150	23
ZMM18HCB	SMD	SOD-80	Industrial Grade	Single	active	18	0.5	±2%	175	23
3EZ43	Axial	DO-15	Industrial Grade	Single	active	43	3	±5%	150	24
3EZ47	Axial	DO-15	Industrial Grade	Single	active	47	3	±5%	150	24
MMSZ5227B	SMD	SOD-123F	Industrial Grade	Single	active	3.6	0.5	±5%	150	24
SMZ43	SMD	DO-213AB/Melf	Industrial Grade	Single	active	43	2	±5%	150	24
SMZ47	SMD	DO-213AB/Melf	Industrial Grade	Single	active	47	2	±5%	150	24
SZ3C43	SMD	DO-213AB/Melf	Industrial Grade	Single	active	43	3	±5%	150	24
SZ3C47	SMD	DO-213AB/Melf	Industrial Grade	Single	active	47	3	±5%	150	24
Z2SMB43	SMD	DO-214AA/SMB	Industrial Grade	Single	active	43	3	±5%	150	24
Z2SMB47	SMD	DO-214AA/SMB	Industrial Grade	Single	active	47	3	±5%	150	24
Z3SMC43	SMD	DO-214AB/SMC	Industrial Grade	Single	active	43	3	±5%	150	24
Z3SMC47	SMD	DO-214AB/SMC	Industrial Grade	Single	active	47	3	±5%	150	24
ZMY43	SMD	DO-213AB/Melf	Industrial Grade	Single	active	43	1.3	±5%	150	24
ZMY43B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	43	1.3	±2%	150	24
ZMY47	SMD	DO-213AB/Melf	Industrial Grade	Single	active	47	1.3	±5%	150	24
ZPY43	Axial	DO-41	Industrial Grade	Single	active	43	1.3	±5%	150	24
ZPY43B	Axial	DO-41	Industrial Grade	Single	active	43	1.3	±2%	150	24
ZPY47	Axial	DO-41	Industrial Grade	Single	active	47	1.3	±5%	150	24
ZPY47B	Axial	DO-41	Industrial Grade	Single	active	47	1.3	±2%	150	24
ZY43	Axial	DO-41	Industrial Grade	Single	active	43	2	±5%	150	24
ZY43B	Axial	DO-41	Industrial Grade	Single	active	43	2	±2%	150	24
ZY47	Axial	DO-41	Industrial Grade	Single	active	47	2	±5%	150	24
ZY47B	Axial	DO-41	Industrial Grade	Single	active	47	2	±2%	150	24
1N5368B	Axial	DO-201	Industrial Grade	Single	active	47	5	±5%	150	25
2BZX84B12	SMD	SOT-23	Industrial Grade	Common Anode	engineering sample	12	0.3	±2%	150	25
2BZX84C12-AQ	SMD	SOT-23	AEC-Q101	Common Anode	active	12	0.3	±5%	150	25
2BZX84C12	SMD	SOT-23	Industrial Grade	Common Anode	active	12	0.3	±5%	150	25
3EZ51	Axial	DO-15	Industrial Grade	Single	active	51	3	±5%	150	25
3EZ56	Axial	DO-15	Industrial Grade	Single	active	56	3	±5%	150	25
3EZ62	Axial	DO-15	Industrial Grade	Single	active	62	3	±5%	150	25

3EZ68	Axial	DO-15	Industrial Grade	Single	active	68	3	±5%	150	25
BZT52C12GW-AQ	SMD	SOD-123	AEC-Q101	Single	engineering sample	12	0.35	±5%	150	25
BZT52C12GW	SMD	SOD-123	Industrial Grade	Single	active	12	0.35	±5%	150	25
BZX84B12-AQ	SMD	SOT-23	AEC-Q101	Single	engineering sample	12	0.3	±2%	150	25
BZX84B12-Q	SMD	SOT-23	AEC-Q compliant	Single	active	12	0.3	±2%	150	25
BZX84B12	SMD	SOT-23	Industrial Grade	Single	active	12	0.3	±2%	150	25
BZX84C12-AQ	SMD	SOT-23	AEC-Q101	Single	active	12	0.3	±5%	150	25
BZX84C12	SMD	SOT-23	Industrial Grade	Single	active	12	0.3	±5%	150	25
MM1Z4749A-Q	SMD	SOD-123FL	AEC-Q compliant	Single	active	24	1	±5%	150	25
MM1Z4749A	SMD	SOD-123FL	Industrial Grade	Single	active	24	1	±5%	150	25
MM3Z12-AQ	SMD	SOD-323F	AEC-Q101	Single	active	12	0.3	±5%	150	25
MM3Z12-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	12	0.3	±5%	150	25
MM3Z12	SMD	SOD-323F	Industrial Grade	Single	active	12	0.3	±5%	150	25
MM5Z12	SMD	SOD-523	Industrial Grade	Single	active	12	0.3	±5%	150	25
MMS3Z12BGW-AQ	SMD	SOD-323	AEC-Q101	Single	engineering sample	12	0.3	±2%	150	25
MMS3Z12BGW-Q	SMD	SOD-323	AEC-Q compliant	Single	active	12	0.3	±2%	150	25
MMS3Z12BGW	SMD	SOD-323	Industrial Grade	Single	active	12	0.3	±2%	150	25
MMSZ5250B-AQ	SMD	SOD-123F	AEC-Q101	Single	engineering sample	20	0.5	±5%	150	25
MMSZ5250B-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	20	0.5	±5%	150	25
MMSZ5250B	SMD	SOD-123F	Industrial Grade	Single	active	20	0.5	±5%	150	25
SMZ51	SMD	DO-213AB/Melf	Industrial Grade	Single	active	51	2	±5%	150	25
SMZ51B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	51	2	±2%	150	25
SMZ56	SMD	DO-213AB/Melf	Industrial Grade	Single	active	56	2	±5%	150	25
SMZ62	SMD	DO-213AB/Melf	Industrial Grade	Single	active	62	2	±5%	150	25
SMZ68	SMD	DO-213AB/Melf	Industrial Grade	Single	active	68	2	±5%	150	25
SZ3C51	SMD	DO-213AB/Melf	Industrial Grade	Single	active	51	3	±5%	150	25
SZ3C56	SMD	DO-213AB/Melf	Industrial Grade	Single	active	56	3	±5%	150	25
SZ3C62	SMD	DO-213AB/Melf	Industrial Grade	Single	active	62	3	±5%	150	25
SZ3C68	SMD	DO-213AB/Melf	Industrial Grade	Single	active	68	3	±5%	150	25
Z1SMA22	SMD	DO-214AC/SMA	Industrial Grade	Single	active	22	1.5	±5%	150	25
Z2SMB51	SMD	DO-214AA/SMB	Industrial Grade	Single	active	51	3	±5%	150	25
Z2SMB56	SMD	DO-214AA/SMB	Industrial Grade	Single	active	56	3	±5%	150	25
Z2SMB62	SMD	DO-214AA/SMB	Industrial Grade	Single	active	62	3	±5%	150	25

Z2SMB68	SMD	DO-214AA/SMB	Industrial Grade	Single	active	68	3	±5%	150	25
Z3SMC51	SMD	DO-214AB/SMC	Industrial Grade	Single	active	51	3	±5%	150	25
Z3SMC56	SMD	DO-214AB/SMC	Industrial Grade	Single	active	56	3	±5%	150	25
Z3SMC62	SMD	DO-214AB/SMC	Industrial Grade	Single	active	62	3	±5%	150	25
Z3SMC68	SMD	DO-214AB/SMC	Industrial Grade	Single	active	68	3	±5%	150	25
ZMD22	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	22	1	±5%	175	25
ZMD22B	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	22	1	±2%	175	25
ZMM5.6	SMD	SOD-80	Industrial Grade	Single	active	5.6	0.5	±5%	175	25
ZMM5.6R13	SMD	SOD-80	Industrial Grade	Single	active	5.6	0.5	±5%	175	25
ZMM5B6	SMD	SOD-80	Industrial Grade	Single	active	5.6	0.5	±2%	175	25
ZMM5B6R13	SMD	SOD-80	Industrial Grade	Single	active	5.6	0.5	±2%	175	25
ZMY51	SMD	DO-213AB/Melf	Industrial Grade	Single	active	51	1.3	±5%	150	25
ZMY51B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	51	1.3	±2%	150	25
ZMY56	SMD	DO-213AB/Melf	Industrial Grade	Single	active	56	1.3	±5%	150	25
ZMY56B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	56	1.3	±2%	150	25
ZMY62	SMD	DO-213AB/Melf	Industrial Grade	Single	active	62	1.3	±5%	150	25
ZMY62B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	62	1.3	±2%	150	25
ZMY68	SMD	DO-213AB/Melf	Industrial Grade	Single	active	68	1.3	±5%	150	25
ZMY68B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	68	1.3	±2%	150	25
ZPD22	Axial	DO-35	Industrial Grade	Single	active	22	0.5	±5%	175	25
ZPY51	Axial	DO-41	Industrial Grade	Single	active	51	1.3	±5%	150	25
ZPY51B	Axial	DO-41	Industrial Grade	Single	active	51	1.3	±2%	150	25
ZPY56	Axial	DO-41	Industrial Grade	Single	active	56	1.3	±5%	150	25
ZPY56B	Axial	DO-41	Industrial Grade	Single	active	56	1.3	±2%	150	25
ZPY62	Axial	DO-41	Industrial Grade	Single	active	62	1.3	±5%	150	25
ZPY62B	Axial	DO-41	Industrial Grade	Single	active	62	1.3	±2%	150	25
ZPY68	Axial	DO-41	Industrial Grade	Single	active	68	1.3	±5%	150	25
ZPY68B	Axial	DO-41	Industrial Grade	Single	active	68	1.3	±2%	150	25
ZY51	Axial	DO-41	Industrial Grade	Single	active	51	2	±5%	150	25
ZY51B	Axial	DO-41	Industrial Grade	Single	active	51	2	±2%	175	25
ZY56	Axial	DO-41	Industrial Grade	Single	active	56	2	±5%	150	25
ZY56B	Axial	DO-41	Industrial Grade	Single	active	56	2	±2%	150	25
ZY62	Axial	DO-41	Industrial Grade	Single	active	62	2	±5%	150	25

ZY62B	Axial	DO-41	Industrial Grade	Single	active	62	2	±2%	150	25
ZY68	Axial	DO-41	Industrial Grade	Single	active	68	2	±5%	150	25
ZY68B	Axial	DO-41	Industrial Grade	Single	active	68	2	±2%	150	25
ZMM13	SMD	SOD-80	Industrial Grade	Single	active	13	0.5	±5%	175	26
ZMM13B	SMD	SOD-80	Industrial Grade	Single	active	13	0.5	±2%	175	26
1N5369B	Axial	DO-201	Industrial Grade	Single	active	51	5	±5%	150	27
Z1SMA24-Q	SMD	DO-214AC/SMA	AEC-Q compliant	Single	active	24	1.5	±5%	150	28
Z1SMA24	SMD	DO-214AC/SMA	Industrial Grade	Single	active	24	1.5	±5%	150	28
ZMD24	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	24	1	±5%	175	28
ZMD24B	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	24	1	±2%	175	28
ZMM20HCB	SMD	SOD-80	Industrial Grade	Single	active	20	0.5	±2%	175	28
ZPD24	Axial	DO-35	Industrial Grade	Single	active	24	0.5	±5%	175	28
ZPD24B	Axial	DO-35	Industrial Grade	Single	active	24	0.5	±2%	175	28
MMSZ5251B-Q	SMD	SOD-123F	AEC-Q compliant	Single	engineering sample	22	0.5	±5%	150	29
MMSZ5251B	SMD	SOD-123F	Industrial Grade	Single	active	22	0.5	±5%	150	29
2BZX84C13	SMD	SOT-23	Industrial Grade	Common Anode	active	13	0.3	±5%	150	30
2BZX84C15-Q	SMD	SOT-23	AEC-Q compliant	Common Anode	active	15	0.3	±5%	150	30
2BZX84C15	SMD	SOT-23	Industrial Grade	Common Anode	active	15	0.3	±5%	150	30
3EZ75	Axial	DO-15	Industrial Grade	Single	active	75	3	±5%	150	30
3EZ82	Axial	DO-15	Industrial Grade	Single	active	82	3	±5%	150	30
BZT52B10	SMD	SOD-123F	Industrial Grade	Single	active	10	0.5	±2%	150	30
BZT52B11	SMD	SOD-123F	Industrial Grade	Single	active	11	0.5	±2%	150	30
BZT52B12	SMD	SOD-123F	Industrial Grade	Single	active	12	0.5	±2%	150	30
BZT52B7V5-AQ	SMD	SOD-123F	AEC-Q101	Single	engineering sample	7.5	0.5	±2%	150	30
BZT52B7V5	SMD	SOD-123F	Industrial Grade	Single	active	7.5	0.5	±2%	150	30
BZT52B8V2-AQ	SMD	SOD-123F	AEC-Q101	Single	active	8.2	0.5	±2%	150	30
BZT52B8V2	SMD	SOD-123F	Industrial Grade	Single	active	8.2	0.5	±2%	150	30
BZT52C10-AQ	SMD	SOD-123F	AEC-Q101	Single	engineering sample	10	0.5	±5%	150	30
BZT52C10-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	10	0.5	-	150	30
BZT52C10	SMD	SOD-123F	Industrial Grade	Single	active	10	0.5	±5%	150	30
BZT52C11	SMD	SOD-123F	Industrial Grade	Single	active	11	0.5	±5%	150	30
BZT52C15GW	SMD	SOD-123	Industrial Grade	Single	active	15	0.35	±5%	150	30
BZT52C6V8-AQ	SMD	SOD-123F	AEC-Q101	Single	active	6.8	0.5	±5%	150	30

BZT52C6V8	SMD	SOD-123F	Industrial Grade	Single	active	6.8	0.5	±5%	150	30
BZT52C7V5-Q	SMD	SOD-123F	AEC-Q compliant	Single	engineering sample	7.5	0.5	±5%	150	30
BZT52C7V5	SMD	SOD-123F	Industrial Grade	Single	active	7.5	0.5	±5%	150	30
BZT52C8V2-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	8.2	0.5	±5%	150	30
BZT52C8V2	SMD	SOD-123F	Industrial Grade	Single	active	8.2	0.5	±5%	150	30
BZT52C9V1	SMD	SOD-123F	Industrial Grade	Single	active	9.1	0.5	±5%	150	30
BZX84B13-AQ	SMD	SOT-23	AEC-Q101	Single	active	13	0.3	±2%	150	30
BZX84B13	SMD	SOT-23	Industrial Grade	Single	active	13	0.3	±2%	150	30
BZX84B15-AQ	SMD	SOT-23	AEC-Q101	Single	engineering sample	15	0.3	±2%	150	30
BZX84B15-Q	SMD	SOT-23	AEC-Q compliant	Single	active	15	0.3	±2%	150	30
BZX84B15	SMD	SOT-23	Industrial Grade	Single	active	15	0.3	±2%	150	30
BZX84B39	SMD	SOT-23	Industrial Grade	Single	active	39	0.3	±2%	150	30
BZX84C13-AQ	SMD	SOT-23	AEC-Q101	Single	active	13	0.3	±5%	150	30
BZX84C13	SMD	SOT-23	Industrial Grade	Single	active	13	0.3	±5%	150	30
BZX84C13W	SMD	SOT-323	Industrial Grade	Single	active	13	0.2	±5%	150	30
BZX84C15-AQ	SMD	SOT-23	AEC-Q101	Single	active	15	0.3	±5%	150	30
BZX84C15-Q	SMD	SOT-23	AEC-Q compliant	Single	active	15	0.3	±5%	150	30
BZX84C15	SMD	SOT-23	Industrial Grade	Single	active	15	0.3	±5%	150	30
BZX84C15W	SMD	SOT-323	Industrial Grade	Single	active	15	0.2	±5%	150	30
MM3Z10B-AQ	SMD	SOD-323F	AEC-Q101	Single	engineering sample	10	0.3	±2%	150	30
MM3Z10B	SMD	SOD-323F	Industrial Grade	Single	active	10	0.3	±2%	150	30
MM3Z11B	SMD	SOD-323F	Industrial Grade	Single	active	11	0.3	±2%	150	30
MM3Z13-AQ	SMD	SOD-323F	AEC-Q101	Single	active	13	0.3	±5%	150	30
MM3Z13-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	13	0.3	±5%	150	30
MM3Z13	SMD	SOD-323F	Industrial Grade	Single	active	13	0.3	±5%	150	30
MM3Z15-AQ	SMD	SOD-323F	AEC-Q101	Single	active	15	0.3	±5%	150	30
MM3Z15-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	15	0.3	±5%	150	30
MM3Z15	SMD	SOD-323F	Industrial Grade	Single	active	15	0.3	±5%	150	30
MM3Z15GW	SMD	SOD-323	Industrial Grade	Single	active	15	0.2	±5%	150	30
MM3Z6B8-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	6.8	0.3	±5%	150	30
MM3Z7B5-AQ	SMD	SOD-323F	AEC-Q101	Single	active	7.5	0.3	±2%	150	30
MM3Z7B5-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	7.5	0.3	±5%	150	30
MM3Z7B5	SMD	SOD-323F	Industrial Grade	Single	active	7.5	0.3	±2%	150	30

MM3Z8B2-AQ	SMD	SOD-323F	AEC-Q101	Single	engineering sample	8.2	0.3	±2%	150	30
MM3Z8B2-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	8.2	0.3	±2%	150	30
MM3Z8B2	SMD	SOD-323F	Industrial Grade	Single	active	8.2	0.3	±2%	150	30
MM3Z9B1-AQ	SMD	SOD-323F	AEC-Q101	Single	active	9.1	0.3	±2%	150	30
MM3Z9B1	SMD	SOD-323F	Industrial Grade	Single	active	9.1	0.3	±2%	150	30
MM5Z10B	SMD	SOD-523	Industrial Grade	Single	active	10	0.3	±2%	150	30
MM5Z12B-AQ	SMD	SOD-523	AEC-Q101	Single	active	12	0.3	±2%	150	30
MM5Z12B	SMD	SOD-523	Industrial Grade	Single	active	12	0.3	±2%	150	30
MM5Z13-AQ	SMD	SOD-523	AEC-Q101	Single	active	13	0.3	±5%	150	30
MM5Z13	SMD	SOD-523	Industrial Grade	Single	active	13	0.3	±5%	150	30
MM5Z15-AQ	SMD	SOD-523	AEC-Q101	Single	active	15	0.3	±5%	150	30
MM5Z15	SMD	SOD-523	Industrial Grade	Single	active	15	0.3	±5%	150	30
MM5Z5V1B-AQ	SMD	SOD-523	AEC-Q101	Single	active	5.1	0.3	±2%	150	30
MM5Z5V1B	SMD	SOD-523	Industrial Grade	Single	active	5.1	0.3	±2%	150	30
MM5Z7V5B	SMD	SOD-523	Industrial Grade	Single	engineering sample	7.5	0.3	±2%	150	30
MM5Z8V2B	SMD	SOD-523	Industrial Grade	Single	active	8.2	0.3	±2%	150	30
MM5Z9V1B	SMD	SOD-523	Industrial Grade	Single	active	9.1	0.3	±2%	150	30
MM9Z12B	SMD	DFN1006-2	Industrial Grade	Single	active	12	0.25	±2%	150	30
MMS3Z13BGW-Q	SMD	SOD-323	AEC-Q compliant	Single	active	13	0.3	±2%	150	30
MMS3Z13BGW	SMD	SOD-323	Industrial Grade	Single	active	13	0.3	±2%	150	30
MMS3Z15BGW-AQ	SMD	SOD-323	AEC-Q101	Single	engineering sample	15	0.3	±2%	150	30
MMS3Z15BGW-Q	SMD	SOD-323	AEC-Q compliant	Single	active	15	0.3	±2%	150	30
MMS3Z15BGW	SMD	SOD-323	Industrial Grade	Single	active	15	0.3	±2%	150	30
MMSZ5242B-AQ	SMD	SOD-123F	AEC-Q101	Single	engineering sample	12	0.5	±5%	150	30
MMSZ5242B	SMD	SOD-123F	Industrial Grade	Single	active	12	0.5	±5%	150	30
SMZ75	SMD	DO-213AB/Melf	Industrial Grade	Single	active	75	2	±5%	150	30
SMZ82	SMD	DO-213AB/Melf	Industrial Grade	Single	active	82	2	±5%	150	30
SZ3C75	SMD	DO-213AB/Melf	Industrial Grade	Single	active	75	3	±5%	150	30
SZ3C82	SMD	DO-213AB/Melf	Industrial Grade	Single	active	82	3	±5%	150	30
Z1SMA27	SMD	DO-214AC/SMA	Industrial Grade	Single	active	27	1.5	±5%	150	30
Z2SMB75	SMD	DO-214AA/SMB	Industrial Grade	Single	active	75	3	±5%	150	30
Z2SMB82	SMD	DO-214AA/SMB	Industrial Grade	Single	active	82	3	±5%	150	30
Z3SMC75	SMD	DO-214AB/SMC	Industrial Grade	Single	active	75	3	±5%	150	30

Z3SMC82	SMD	DO-214AB/SMC	Industrial Grade	Single	active	82	3	±5%	150	30
ZMC15	SMD	Quadro MicroMelf	Industrial Grade	Single	end of life	15	0.5	±5%	175	30
ZMD27	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	27	1	±5%	175	30
ZMD27B	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	27	1	±2%	175	30
ZMD5.1	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	5.1	1	±5%	175	30
ZMM15	SMD	SOD-80	Industrial Grade	Single	active	15	0.5	±5%	175	30
ZMM15B	SMD	SOD-80	Industrial Grade	Single	active	15	0.5	±2%	175	30
ZMM15R13	SMD	SOD-80	Industrial Grade	Single	active	15	0.5	±5%	175	30
ZMM22HCB	SMD	SOD-80	Industrial Grade	Single	active	22	0.5	±2%	175	30
ZMY75	SMD	DO-213AB/Melf	Industrial Grade	Single	active	75	1.3	±5%	150	30
ZMY82	SMD	DO-213AB/Melf	Industrial Grade	Single	active	82	1.3	±5%	150	30
ZMY82B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	82	1.3	±2%	150	30
ZPD27	Axial	DO-35	Industrial Grade	Single	active	27	0.5	±5%	175	30
ZPD27B	Axial	DO-35	Industrial Grade	Single	active	27	0.5	±2%	175	30
ZPD5.1	Axial	DO-35	Industrial Grade	Single	active	5.1	0.5	±5%	175	30
ZPD5B1	Axial	DO-35	Industrial Grade	Single	active	5.1	0.5	±2%	175	30
ZPY75	Axial	DO-41	Industrial Grade	Single	active	75	1.3	±5%	150	30
ZPY75B	Axial	DO-41	Industrial Grade	Single	active	75	1.3	±2%	150	30
ZPY82	Axial	DO-41	Industrial Grade	Single	active	82	1.3	±5%	150	30
ZPY82B	Axial	DO-41	Industrial Grade	Single	active	82	1.3	±2%	150	30
ZY75	Axial	DO-41	Industrial Grade	Single	active	75	2	±5%	150	30
ZY75B	Axial	DO-41	Industrial Grade	Single	active	75	2	±2%	150	30
ZY82	Axial	DO-41	Industrial Grade	Single	active	82	2	±5%	150	30
ZY82B	Axial	DO-41	Industrial Grade	Single	active	82	2	±2%	150	30
MMSZ5252B-AQ	SMD	SOD-123F	AEC-Q101	Single	engineering sample	24	0.5	±5%	150	33
MMSZ5252B	SMD	SOD-123F	Industrial Grade	Single	active	24	0.5	±5%	150	33
1N5370B	Axial	DO-201	Industrial Grade	Single	active	56	5	±5%	150	35
BZT52C12-AQ	SMD	SOD-123F	AEC-Q101	Single	active	12	0.5	-	150	35
BZT52C12-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	12	0.5	±5%	150	35
BZT52C12	SMD	SOD-123F	Industrial Grade	Single	active	12	0.5	±5%	150	35
BZT52C13-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	13	0.5	±5%	150	35
BZT52C13	SMD	SOD-123F	Industrial Grade	Single	active	13	0.5	±5%	150	35
MM1Z4750A	SMD	SOD-123FL	Industrial Grade	Single	active	27	1	±5%	150	35

MM3Z12B	SMD	SOD-323F	Industrial Grade	Single	active	12	0.3	±2%	150	35
MM3Z13B-AQ	SMD	SOD-323F	AEC-Q101	Single	active	13	0.3	±2%	150	35
MM3Z13B-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	13	0.3	±2%	-	35
MM3Z13B	SMD	SOD-323F	Industrial Grade	Single	active	13	0.3	±2%	150	35
Z1SMA30-Q	SMD	DO-214AC/SMA	AEC-Q compliant	Single	active	30	1.5	±5%	150	35
Z1SMA30	SMD	DO-214AC/SMA	Industrial Grade	Single	active	30	1.5	±5%	150	35
ZMC5B1	SMD	Quadro MicroMelf	Industrial Grade	Single	end of life	5.1	0.5	±2%	175	35
ZMD30	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	30	1	±5%	175	35
ZMD30B	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	30	1	±2%	175	35
ZMM5.1	SMD	SOD-80	Industrial Grade	Single	active	5.1	0.5	±5%	175	35
ZMM5.1R13	SMD	SOD-80	Industrial Grade	Single	active	5.1	0.5	±5%	175	35
ZMM5B1	SMD	SOD-80	Industrial Grade	Single	active	5.1	0.5	±2%	175	35
ZPD30	Axial	DO-35	Industrial Grade	Single	active	30	0.5	±5%	175	35
ZPD30B	Axial	DO-35	Industrial Grade	Single	active	30	0.5	±2%	175	35
BZT52B13	SMD	SOD-123F	Industrial Grade	Single	active	13	0.5	±2%	150	37
MM5Z13B-AQ	SMD	SOD-523	AEC-Q101	Single	active	13	0.3	-	150	37
MM5Z13B	SMD	SOD-523	Industrial Grade	Single	active	13	0.3	±2%	150	37
1N5371B	Axial	DO-201	Industrial Grade	Single	active	60	5	±5%	150	40
2BZX84B16	SMD	SOT-23	Industrial Grade	Common Anode	engineering sample	16	0.3	±2%	150	40
2BZX84C16-AQ	SMD	SOT-23	AEC-Q101	Common Anode	active	16	0.3	±5%	150	40
2BZX84C16-Q	SMD	SOT-23	Industrial Grade	Common Anode	active	16	0.3	±5%	150	40
2BZX84C16	SMD	SOT-23	Industrial Grade	Common Anode	active	16	0.3	±5%	150	40
2BZX84C5V6-AQ	SMD	SOT-23	AEC-Q101	Common Anode	engineering sample	5.6	0.3	±5%	150	40
2BZX84C5V6	SMD	SOT-23	Industrial Grade	Common Anode	active	5.6	0.3	±5%	150	40
3EZ91	Axial	DO-15	Industrial Grade	Single	active	91	3	±5%	150	40
BZT52B6V8-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	6.8	0.5	±2%	150	40
BZT52B6V8	SMD	SOD-123F	Industrial Grade	Single	active	6.8	0.5	±2%	150	40
BZT52C15-AQ	SMD	SOD-123F	AEC-Q101	Single	active	15	0.5	±5%	150	40
BZT52C15-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	15	0.5	±5%	150	40
BZT52C15	SMD	SOD-123F	Industrial Grade	Single	active	15	0.5	±5%	150	40
BZT52C16-AQ	SMD	SOD-123F	AEC-Q101	Single	active	16	0.5	±5%	-	40
BZT52C16-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	16	0.5	±5%	-	40
BZT52C16	SMD	SOD-123F	Industrial Grade	Single	active	16	0.5	±5%	150	40

BZT52C5V6GW	SMD	SOD-123	Industrial Grade	Single	active	5.6	0.35	±5%	150	40
BZX84B16-AQ	SMD	SOT-23	AEC-Q101	Single	active	16	0.3	±2%	150	40
BZX84B5V6-AQ	SMD	SOT-23	AEC-Q101	Single	active	5.6	0.3	±2%	150	40
BZX84B5V6-Q	SMD	SOT-23	AEC-Q compliant	Single	active	5.6	0.3	±2%	150	40
BZX84B5V6	SMD	SOT-23	Industrial Grade	Single	active	5.6	0.3	±2%	150	40
BZX84C16-AQ	SMD	SOT-23	AEC-Q101	Single	active	16	0.3	±5%	150	40
BZX84C16-Q	SMD	SOT-23	AEC-Q compliant	Single	active	16	0.3	±5%	150	40
BZX84C16	SMD	SOT-23	Industrial Grade	Single	active	16	0.3	±5%	150	40
BZX84C5V6-AQ	SMD	SOT-23	AEC-Q101	Single	active	5.6	0.3	±5%	150	40
BZX84C5V6-Q	SMD	SOT-23	AEC-Q compliant	Single	active	5.6	0.3	±5%	150	40
BZX84C5V6	SMD	SOT-23	Industrial Grade	Single	active	5.6	0.3	±5%	150	40
MM1Z4751A	SMD	SOD-123FL	Industrial Grade	Single	active	30	1	±5%	150	40
MM3Z15B-AQ	SMD	SOD-323F	AEC-Q101	Single	active	15	0.3	±2%	-	40
MM3Z15B-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	15	0.3	±2%	150	40
MM3Z15B	SMD	SOD-323F	Industrial Grade	Single	active	15	0.3	±2%	150	40
MM3Z16-AQ	SMD	SOD-323F	AEC-Q101	Single	active	16	0.3	±5%	150	40
MM3Z16-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	16	0.3	±5%	150	40
MM3Z16	SMD	SOD-323F	Industrial Grade	Single	active	16	0.3	±5%	150	40
MM3Z16B-AQ	SMD	SOD-323F	AEC-Q101	Single	active	16	0.3	±2%	150	40
MM3Z16B-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	16	0.3	±2%	150	40
MM3Z5V6-AQ	SMD	SOD-323F	AEC-Q101	Single	active	5.6	0.3	±5%	150	40
MM3Z5V6-Q	SMD	SOD-323F	AEC-Q compliant	Single	engineering sample	5.6	0.3	±5%	150	40
MM3Z5V6	SMD	SOD-323F	Industrial Grade	Single	active	5.6	0.3	±5%	150	40
MM5Z16-AQ	SMD	SOD-523	AEC-Q101	Single	active	16	0.3	-	150	40
MM5Z16	SMD	SOD-523	Industrial Grade	Single	active	16	0.3	±5%	150	40
MM5Z5V6-AQ	SMD	SOD-523	AEC-Q101	Single	active	5.6	0.3	±5%	150	40
MM5Z5V6	SMD	SOD-523	Industrial Grade	Single	active	5.6	0.3	±5%	150	40
MM5Z6V8B-AQ	SMD	SOD-523	AEC-Q101	Single	active	6.8	0.3	±2%	150	40
MM5Z6V8B	SMD	SOD-523	Industrial Grade	Single	active	6.8	0.3	±2%	150	40
MMS3Z16BGW-Q	SMD	SOD-323	AEC-Q compliant	Single	engineering sample	16	0.3	±2%	150	40
MMS3Z16BGW	SMD	SOD-323	Industrial Grade	Single	active	16	0.3	±2%	150	40
MMS3Z5B6GW-Q	SMD	SOD-323	AEC-Q compliant	Single	active	5.6	0.3	±2%	150	40
MMS3Z5B6GW	SMD	SOD-323	Industrial Grade	Single	active	5.6	0.3	±2%	150	40

SMZ91	SMD	DO-213AB/Melf	Industrial Grade	Single	active	91	2	±5%	150	40
SZ3C91	SMD	DO-213AB/Melf	Industrial Grade	Single	active	91	3	±5%	150	40
Z1SMA33	SMD	DO-214AC/SMA	Industrial Grade	Single	active	33	1.5	±5%	150	40
Z1SMA36-Q	SMD	DO-214AC/SMA	AEC-Q compliant	Single	engineering sample	36	1.5	±5%	150	40
Z1SMA36	SMD	DO-214AC/SMA	Industrial Grade	Single	active	36	1.5	±5%	150	40
Z2SMB91-Q	SMD	DO-214AA/SMB	AEC-Q compliant	Single	active	91	3	±5%	150	40
Z2SMB91	SMD	DO-214AA/SMB	Industrial Grade	Single	active	91	3	±5%	150	40
Z3SMC91	SMD	DO-214AB/SMC	Industrial Grade	Single	active	91	3	±5%	150	40
ZMD33	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	33	1	±5%	175	40
ZMD33B	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	33	1	±2%	175	40
ZMD36	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	36	1	±5%	175	40
ZMD36B	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	36	1	±2%	175	40
ZMM16	SMD	SOD-80	Industrial Grade	Single	active	16	0.5	±5%	175	40
ZMM16B	SMD	SOD-80	Industrial Grade	Single	active	16	0.5	±2%	175	40
ZMM16BR13	SMD	SOD-80	Industrial Grade	Single	active	16	0.5	±2%	175	40
ZMY91	SMD	DO-213AB/Melf	Industrial Grade	Single	active	91	1.3	±5%	150	40
ZMY91B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	91	1.3	±2%	150	40
ZPD33	Axial	DO-35	Industrial Grade	Single	active	33	0.5	±5%	175	40
ZPD33B	Axial	DO-35	Industrial Grade	Single	active	33	0.5	±2%	175	40
ZPD36	Axial	DO-35	Industrial Grade	Single	active	36	0.5	±5%	175	40
ZPD36B	Axial	DO-35	Industrial Grade	Single	active	36	0.5	±2%	175	40
ZPY91	Axial	DO-41	Industrial Grade	Single	active	91	1.3	±5%	150	40
ZPY91B	Axial	DO-41	Industrial Grade	Single	active	91	1.3	±2%	150	40
ZY91	Axial	DO-41	Industrial Grade	Single	active	91	2	±5%	150	40
ZY91B	Axial	DO-41	Industrial Grade	Single	active	91	2	±2%	150	40
MMSZ5254B-AQ	SMD	SOD-123F	AEC-Q101	Single	engineering sample	27	0.5	±5%	150	41
MMSZ5254B	SMD	SOD-123F	Industrial Grade	Single	active	27	0.5	±5%	150	41
1N5372B	Axial	DO-201	Industrial Grade	Single	active	62	5	±5%	150	42
BZT52B15-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	15	0.5	±2%	150	42
BZT52B15	SMD	SOD-123F	Industrial Grade	Single	active	15	0.5	±2%	150	42
MM5Z15B	SMD	SOD-523	Industrial Grade	Single	active	15	0.3	±2%	150	42
1N5373B	Axial	DO-201	Industrial Grade	Single	active	68	5	±5%	150	44
1N5374B	Axial	DO-201	Industrial Grade	Single	active	75	5	±5%	150	45

2BZX84C18	SMD	SOT-23	Industrial Grade	Common Anode	active	18	0.3	±5%	150	45
BZT52C18-AQ	SMD	SOD-123F	AEC-Q101	Single	active	18	0.5	±5%	150	45
BZT52C18-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	18	0.5	±5%	150	45
BZT52C18	SMD	SOD-123F	Industrial Grade	Single	active	18	0.5	±5%	150	45
BZX84B18-AQ	SMD	SOT-23	AEC-Q101	Single	engineering sample	18	0.3	±2%	150	45
BZX84B18-Q	SMD	SOT-23	AEC-Q compliant	Single	engineering sample	18	0.3	±2%	150	45
BZX84B18	SMD	SOT-23	Industrial Grade	Single	active	18	0.3	±2%	150	45
BZX84C18-AQ	SMD	SOT-23	AEC-Q101	Single	active	18	0.3	±5%	150	45
BZX84C18-Q	SMD	SOT-23	AEC-Q compliant	Single	active	18	0.3	±5%	150	45
BZX84C18	SMD	SOT-23	Industrial Grade	Single	active	18	0.3	±5%	150	45
BZX84C18W-AQ	SMD	SOT-323	AEC-Q101	Single	engineering sample	18	0.2	±5%	150	45
BZX84C18W	SMD	SOT-323	Industrial Grade	Single	active	18	0.2	±5%	150	45
MM1Z4752A	SMD	SOD-123FL	Industrial Grade	Single	active	33	1	±5%	150	45
MM3Z18-AQ	SMD	SOD-323F	AEC-Q101	Single	active	18	0.3	±5%	150	45
MM3Z18-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	18	0.3	±5%	150	45
MM3Z18	SMD	SOD-323F	Industrial Grade	Single	active	18	0.3	±5%	150	45
MM3Z18B-AQ	SMD	SOD-323F	AEC-Q101	Single	active	18	0.3	±5%	-	45
MM3Z18B-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	18	0.3	±5%	150	45
MM3Z18B	SMD	SOD-323F	Industrial Grade	Single	active	18	0.3	±5%	150	45
MM3Z18GW	SMD	SOD-323	Industrial Grade	Single	active	18	0.2	±5%	150	45
MMS3Z18BGW-AQ	SMD	SOD-323	AEC-Q101	Single	active	18	0.3	±2%	150	45
MMS3Z18BGW-Q	SMD	SOD-323	AEC-Q compliant	Single	active	18	0.3	±2%	150	45
MMS3Z18BGW	SMD	SOD-323	Industrial Grade	Single	active	18	0.3	±2%	150	45
ZMM27HCB	SMD	SOD-80	Industrial Grade	Single	active	27	0.5	±2%	175	45
ZMM27HCD	SMD	SOD-80	Industrial Grade	Single	active	26	0.5	±2%	175	45
ZMY47B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	47	1.3	±2%	150	45
MMSZ5256B	SMD	SOD-123F	Industrial Grade	Single	active	30	0.5	±5%	150	49
BZT52B16-AQ	SMD	SOD-123F	AEC-Q101	Single	engineering sample	16	0.5	±2%	150	50
BZT52B16-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	16	0.5	±2%	150	50
BZT52B16	SMD	SOD-123F	Industrial Grade	Single	active	16	0.5	±2%	150	50
BZT52C20-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	20	0.5	±5%	150	50
BZT52C20	SMD	SOD-123F	Industrial Grade	Single	active	20	0.5	±5%	150	50
BZT52C6V2-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	6.2	0.5	±5%	150	50

BZT52C6V2	SMD	SOD-123F	Industrial Grade	Single	active	6.2	0.5	±5%	150	50
MM1Z4753A	SMD	SOD-123FL	Industrial Grade	Single	active	36	1	±5%	150	50
MM3Z20B-AQ	SMD	SOD-323F	AEC-Q101	Single	active	20	0.3	±2%	150	50
MM3Z20B-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	20	0.3	±2%	150	50
MM3Z6B2-AQ	SMD	SOD-323F	AEC-Q101	Single	active	6.2	0.3	±2%	150	50
MM3Z6B2-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	6.2	0.3	±5%	150	50
MM3Z6B2	SMD	SOD-323F	Industrial Grade	Single	active	6.2	0.3	±2%	150	50
Z1SMA39-Q	SMD	DO-214AC/SMA	AEC-Q compliant	Single	active	39	1.5	±5%	150	50
Z1SMA39	SMD	DO-214AC/SMA	Industrial Grade	Single	active	39	1.5	±5%	150	50
ZMC18	SMD	Quadro MicroMelf	Industrial Grade	Single	end of life	18	0.5	±5%	175	50
ZMD39	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	39	1	±5%	175	50
ZMD39B	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	39	1	±2%	175	50
ZMM18	SMD	SOD-80	Industrial Grade	Single	active	18	0.5	±5%	175	50
ZMM18B	SMD	SOD-80	Industrial Grade	Single	active	18	0.5	±2%	175	50
ZMM18R13	SMD	SOD-80	Industrial Grade	Single	active	18	0.5	±5%	175	50
ZPD39	Axial	DO-35	Industrial Grade	Single	active	39	0.5	±5%	175	50
2BZX84C20-Q	SMD	SOT-23	AEC-Q compliant	Common Anode	engineering sample	20	0.3	±5%	150	55
2BZX84C20	SMD	SOT-23	Industrial Grade	Common Anode	active	20	0.3	±5%	150	55
BZT52C20GW	SMD	SOD-123	Industrial Grade	Single	active	20	0.35	±5%	150	55
BZT52C22-AQ	SMD	SOD-123F	AEC-Q101	Single	active	22	0.5	±5%	150	55
BZT52C22	SMD	SOD-123F	Industrial Grade	Single	active	22	0.5	±5%	150	55
BZT52C22GW	SMD	SOD-123	Industrial Grade	Single	active	22	0.35	±5%	150	55
BZX84B20-AQ	SMD	SOT-23	AEC-Q101	Single	active	20	0.3	±2%	150	55
BZX84B20-Q	SMD	SOT-23	AEC-Q compliant	Single	active	20	0.3	±2%	150	55
BZX84B20	SMD	SOT-23	Industrial Grade	Single	active	20	0.3	±2%	150	55
BZX84B22	SMD	SOT-23	Industrial Grade	Single	active	22	0.3	±2%	150	55
BZX84C20-AQ	SMD	SOT-23	AEC-Q101	Single	active	20	0.3	±5%	150	55
BZX84C20-C	SMD	SOT-23	Commercial Grade	Single	active	20	0.3	±5%	150	55
BZX84C20	SMD	SOT-23	Industrial Grade	Single	active	20	0.3	±5%	150	55
MM3Z20	SMD	SOD-323F	Industrial Grade	Single	active	20	0.3	±5%	150	55
MM3Z20GW	SMD	SOD-323	Industrial Grade	Single	active	20	0.2	±5%	150	55
MM3Z22-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	22	0.3	±5%	150	55
MM3Z22	SMD	SOD-323F	Industrial Grade	Single	active	22	0.3	±5%	150	55

MM3Z22B	SMD	SOD-323F	Industrial Grade	Single	active	22	0.3	±2%	150	55
MM5Z20	SMD	SOD-523	Industrial Grade	Single	active	20	0.3	±5%	150	55
MM5Z22-AQ	SMD	SOD-523	AEC-Q101	Single	active	22	0.3	±5%	150	55
MM5Z22	SMD	SOD-523	Industrial Grade	Single	active	22	0.3	±5%	150	55
MMS3Z20BGW-AQ	SMD	SOD-323	AEC-Q101	Single	engineering sample	20	0.3	±2%	150	55
MMS3Z20BGW-Q	SMD	SOD-323	AEC-Q compliant	Single	active	20	0.3	±2%	150	55
MMS3Z20BGW	SMD	SOD-323	Industrial Grade	Single	active	20	0.3	±2%	150	55
ZMM20	SMD	SOD-80	Industrial Grade	Single	active	20	0.5	±5%	175	55
ZMM20B	SMD	SOD-80	Industrial Grade	Single	active	20	0.5	±2%	175	55
ZMM22	SMD	SOD-80	Industrial Grade	Single	active	22	0.5	±5%	175	55
ZMM22B	SMD	SOD-80	Industrial Grade	Single	active	22	0.5	±2%	175	55
ZMM22BR13	SMD	SOD-80	Industrial Grade	Single	active	22	0.5	±2%	175	55
ZMM22R13	SMD	SOD-80	Industrial Grade	Single	active	22	0.5	±5%	175	55
MMSZ5257B-AQ	SMD	SOD-123F	AEC-Q101	Single	engineering sample	33	0.5	±5%	150	58
MMSZ5257B-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	33	0.5	±5%	150	58
MMSZ5257B	SMD	SOD-123F	Industrial Grade	Single	active	33	0.5	±5%	150	58
2BZX84B5V1	SMD	SOT-23	Industrial Grade	Common Anode	active	5.1	0.3	±2%	150	60
2BZX84C5V1-Q	SMD	SOT-23	AEC-Q compliant	Common Anode	active	5.1	0.3	±5%	150	60
2BZX84C5V1	SMD	SOT-23	Industrial Grade	Common Anode	active	5.1	0.3	±5%	150	60
BZT52B5V6	SMD	SOD-123F	Industrial Grade	Single	active	5.6	0.5	±2%	150	60
BZT52B6V2-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	6.2	0.5	±2%	150	60
BZT52B6V2	SMD	SOD-123F	Industrial Grade	Single	active	6.2	0.5	±2%	150	60
BZT52C24	SMD	SOD-123F	Industrial Grade	Single	active	24	0.5	±5%	150	60
BZX84B5V1-AQ	SMD	SOT-23	AEC-Q101	Single	active	5.1	0.3	±2%	150	60
BZX84B5V1-Q	SMD	SOT-23	AEC-Q compliant	Single	active	5.1	0.3	±2%	150	60
BZX84B5V1	SMD	SOT-23	Industrial Grade	Single	active	5.1	0.3	±2%	150	60
BZX84C5V1-AQ	SMD	SOT-23	AEC-Q101	Single	active	5.1	0.3	±5%	150	60
BZX84C5V1-Q	SMD	SOT-23	AEC-Q compliant	Single	active	5.1	0.3	±5%	150	60
BZX84C5V1	SMD	SOT-23	Industrial Grade	Single	active	5.1	0.3	±5%	150	60
BZX84C5V1W-AQ	SMD	SOT-323	AEC-Q101	Single	engineering sample	5.1	0.2	±5%	150	60
BZX84C5V1W	SMD	SOT-323	Industrial Grade	Single	active	5.1	0.2	±5%	150	60
MM1Z4754A	SMD	SOD-123FL	Industrial Grade	Single	active	39	1	±5%	150	60
MM3Z24B-AQ	SMD	SOD-323F	AEC-Q101	Single	active	24	0.3	±5%	150	60

MM3Z24B	SMD	SOD-323F	Industrial Grade	Single	active	24	0.3	±2%	150	60
MM3Z5V1-AQ	SMD	SOD-323F	AEC-Q101	Single	active	5.1	0.3	±5%	150	60
MM3Z5V1-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	5.1	0.3	±5%	150	60
MM3Z5V1	SMD	SOD-323F	Industrial Grade	Single	active	5.1	0.3	±5%	150	60
MM3Z5V1GW	SMD	SOD-323	Industrial Grade	Single	active	5.1	0.2	±5%	150	60
MM5Z5V1-AQ	SMD	SOD-523	AEC-Q101	Single	active	5.1	0.3	±5%	150	60
MM5Z5V1	SMD	SOD-523	Industrial Grade	Single	active	5.1	0.3	±5%	150	60
MM5Z5V6B	SMD	SOD-523	Industrial Grade	Single	active	5.6	0.3	±2%	150	60
MM5Z6V2B	SMD	SOD-523	Industrial Grade	Single	active	6.2	0.3	±2%	150	60
MM9Z5V6B	SMD	DFN1006-2	Industrial Grade	Single	active	5.6	0.25	±2%	150	60
MM9Z6V2B	SMD	DFN1006-2	Industrial Grade	Single	engineering sample	6.2	0.25	±2%	150	60
MMS3Z5B1GW-AQ	SMD	SOD-323	AEC-Q compliant	Single	engineering sample	5.1	0.3	±2%	150	60
MMS3Z5B1GW-Q	SMD	SOD-323	AEC-Q compliant	Single	active	5.1	0.3	±2%	150	60
MMS3Z5B1GW	SMD	SOD-323	Industrial Grade	Single	active	5.1	0.3	±2%	150	60
SMZ100	SMD	DO-213AB/Melf	Industrial Grade	Single	active	100	2	±5%	150	60
SMZ100B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	100	2	±2%	150	60
SZ3C100	SMD	DO-213AB/Melf	Industrial Grade	Single	active	100	3	±5%	150	60
Z1SMA43	SMD	DO-214AC/SMA	Industrial Grade	Single	active	43	1.5	±5%	150	60
Z2SMB100	SMD	DO-214AA/SMB	Industrial Grade	Single	active	100	3	±5%	150	60
Z3SMC100	SMD	DO-214AB/SMC	Industrial Grade	Single	active	100	3	±5%	150	60
ZMD43	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	43	1	±5%	175	60
ZMD43B	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	43	1	±2%	175	60
ZMM3V6HCB	SMD	SOD-80	Industrial Grade	Single	active	3.73	0.5	±2%	175	60
ZMM4.7	SMD	SOD-80	Industrial Grade	Single	active	4.7	0.5	±5%	175	60
ZMM4B7	SMD	SOD-80	Industrial Grade	Single	active	4.7	0.5	±2%	175	60
ZMY100	SMD	DO-213AB/Melf	Industrial Grade	Single	active	100	1.3	±5%	150	60
ZMY100B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	100	1.3	±2%	150	60
ZPD4.7	Axial	DO-35	Industrial Grade	Single	active	4.7	0.5	±5%	175	60
ZPD43	Axial	DO-35	Industrial Grade	Single	active	43	0.5	±5%	175	60
ZPD4B7	Axial	DO-35	Industrial Grade	Single	active	4.7	0.5	±2%	175	60
ZPY100	Axial	DO-41	Industrial Grade	Single	active	100	1.3	±5%	150	60
ZPY100B	Axial	DO-41	Industrial Grade	Single	active	100	1.3	±2%	150	60
ZY100	Axial	DO-41	Industrial Grade	Single	active	100	2	±5%	150	60

ZY100B	Axial	DO-41	Industrial Grade	Single	active	100	2	±2%	150	60
1N5375B	Axial	DO-201	Industrial Grade	Single	active	82	5	±5%	150	65
BZT52B18-AQ	SMD	SOD-123F	AEC-Q101	Single	active	18	0.5	±2%	150	65
BZT52B18	SMD	SOD-123F	Industrial Grade	Single	active	18	0.5	±2%	150	65
BZT52B9V1	SMD	SOD-123F	Industrial Grade	Single	engineering sample	18	0.5	±2%	150	65
MM5Z18B-AQ	SMD	SOD-523	AEC-Q101	Single	active	18	0.3	±2%	150	65
MM5Z18B	SMD	SOD-523	Industrial Grade	Single	active	18	0.3	±2%	150	65
ZMM33HCB	SMD	SOD-80	Industrial Grade	Single	active	33	0.5	±2%	175	65
2BZX84C22	SMD	SOT-23	Industrial Grade	Common Anode	active	22	0.3	±5%	150	70
BZT52C27-AQ	SMD	SOD-123F	AEC-Q101	Single	engineering sample	27	0.5	±5%	150	70
BZT52C27-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	27	0.5	±5%	150	70
BZT52C27	SMD	SOD-123F	Industrial Grade	Single	active	27	0.5	±5%	150	70
BZX84B24-AQ	SMD	SOT-23	Industrial Grade	Single	engineering sample	24	0.3	±2%	150	70
BZX84B24	SMD	SOT-23	Industrial Grade	Single	active	24	0.3	±2%	150	70
BZX84C22-AQ	SMD	SOT-23	AEC-Q101	Single	active	22	0.3	±5%	150	70
BZX84C22	SMD	SOT-23	Industrial Grade	Single	active	22	0.3	±5%	150	70
MM1Z4755A	SMD	SOD-123FL	Industrial Grade	Single	active	43	1	±5%	150	70
MM3Z24-AQ	SMD	SOD-323F	AEC-Q101	Single	active	24	0.3	±5%	150	70
MM3Z24	SMD	SOD-323F	Industrial Grade	Single	active	24	0.3	±5%	150	70
MM3Z27B-AQ	SMD	SOD-323F	AEC-Q101	Single	active	27	0.3	±5%	150	70
MM3Z27B-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	27	0.3	±5%	150	70
MM3Z27B	SMD	SOD-323F	Industrial Grade	Single	active	27	0.3	±5%	150	70
MM5Z24	SMD	SOD-523	Industrial Grade	Single	active	24	0.3	±5%	150	70
MMS3Z24BGW	SMD	SOD-323	Industrial Grade	Single	active	24	0.3	±2%	150	70
MMSZ5258B	SMD	SOD-123F	Industrial Grade	Single	active	36	0.5	±5%	150	70
Z1SMA47-Q	SMD	DO-214AC/SMA	AEC-Q compliant	Single	active	47	1.5	±5%	150	70
Z1SMA47	SMD	DO-214AC/SMA	Industrial Grade	Single	active	47	1.5	±5%	150	70
Z1SMA51	SMD	DO-214AC/SMA	Industrial Grade	Single	active	51	1.5	±5%	150	70
Z1SMA56	SMD	DO-214AC/SMA	Industrial Grade	Single	active	56	1.5	±5%	150	70
ZMD4.7	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	4.7	1	±5%	175	70
ZMD47	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	47	1	±5%	175	70
ZMD47B	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	47	1	±2%	175	70
ZMD51	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	51	1	±5%	175	70

ZMD51B	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	51	1	±2%	175	70
ZMD56	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	56	1	±5%	175	70
ZMD56B	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	56	1	±2%	175	70
ZMM24	SMD	SOD-80	Industrial Grade	Single	active	24	0.5	±5%	175	70
ZMM24R13	SMD	SOD-80	Industrial Grade	Single	active	24	0.5	±5%	175	70
ZPD4.3	Axial	DO-35	Industrial Grade	Single	active	4.3	0.5	±5%	175	70
ZPD47	Axial	DO-35	Industrial Grade	Single	active	47	0.5	±5%	175	70
ZPD47B	Axial	DO-35	Industrial Grade	Single	active	47	0.5	±2%	175	70
ZPD4B3	Axial	DO-35	Industrial Grade	Single	active	4.3	0.5	±5%	175	70
1N5376B	Axial	DO-201	Industrial Grade	Single	active	87	5	±5%	150	75
1N5377B	Axial	DO-201	Industrial Grade	Single	active	91	5	±5%	150	75
3EZ100	Axial	DO-15	Industrial Grade	Single	active	100	3	±5%	150	75
ZMC4.3	SMD	Quadro MicroMelf	Industrial Grade	Single	end of life	4.3	0.5	±5%	175	75
ZMM4.3	SMD	SOD-80	Industrial Grade	Single	active	4.3	0.5	±5%	175	75
ZMM4.3R13	SMD	SOD-80	Industrial Grade	Single	active	4.3	0.5	±5%	175	75
ZMM4B3	SMD	SOD-80	Industrial Grade	Single	active	4.3	0.5	±2%	175	75
ZPD2.7	Axial	DO-35	Industrial Grade	Single	active	2.7	0.5	±5%	175	75
ZPD2B7	Axial	DO-35	Industrial Grade	Single	active	2.7	0.5	±2%	175	75
2BZX84B27	SMD	SOT-23	Industrial Grade	Common Anode	engineering sample	27	0.3	±2%	150	80
2BZX84C24	SMD	SOT-23	Industrial Grade	Common Anode	active	24	0.3	±5%	150	80
2BZX84C27-AQ	SMD	SOT-23	AEC-Q101	Common Anode	engineering sample	27	0.3	±5%	150	80
2BZX84C27-Q	SMD	SOT-23	AEC-Q compliant	Common Anode	engineering sample	27	0.3	±5%	150	80
2BZX84C27	SMD	SOT-23	Industrial Grade	Common Anode	active	27	0.3	±5%	150	80
2BZX84C30	SMD	SOT-23	Industrial Grade	Common Anode	active	30	0.3	±5%	150	80
2BZX84C33	SMD	SOT-23	Industrial Grade	Common Anode	active	33	0.3	±5%	150	80
2BZX84C4V7	SMD	SOT-23	Industrial Grade	Common Anode	active	4.7	0.3	±5%	150	80
3EZ110	Axial	DO-15	Industrial Grade	Single	active	110	3	±5%	150	80
3EZ120	Axial	DO-15	Industrial Grade	Single	active	120	3	±5%	150	80
BZT52B5V1-AQ	SMD	SOD-123F	AEC-Q101	Single	active	5.1	0.5	±2%	150	80
BZT52B5V1-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	5.1	0.5	±2%	150	80
BZT52B5V1	SMD	SOD-123F	Industrial Grade	Single	active	5.1	0.5	±2%	150	80
BZT52C30	SMD	SOD-123F	Industrial Grade	Single	active	30	0.5	±5%	150	80
BZT52C33-AQ	SMD	SOD-123F	AEC-Q101	Single	engineering sample	33	0.5	±5%	150	80

BZT52C33	SMD	SOD-123F	Industrial Grade	Single	active	33	0.5	±5%	150	80
BZT52C5V6-AQ	SMD	SOD-123F	AEC-Q101	Single	active	5.6	0.5	±5%	150	80
BZT52C5V6-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	5.6	0.5	±5%	150	80
BZT52C5V6	SMD	SOD-123F	Industrial Grade	Single	active	5.6	0.5	±5%	150	80
BZX84B30	SMD	SOT-23	Industrial Grade	Single	active	30	0.3	±2%	150	80
BZX84B33	SMD	SOT-23	Industrial Grade	Single	active	33	0.3	±2%	150	80
BZX84B36	SMD	SOT-23	Industrial Grade	Single	active	36	0.3	±2%	150	80
BZX84B4V3-AQ	SMD	SOT-23	AEC-Q compliant	Single	active	4.3	0.3	±2%	150	80
BZX84B4V3-Q	SMD	SOT-23	AEC-Q compliant	Single	active	4.3	0.3	±2%	150	80
BZX84B4V3	SMD	SOT-23	Industrial Grade	Single	active	4.3	0.3	±2%	150	80
BZX84B4V7-AQ	SMD	SOT-23	AEC-Q101	Single	active	4.7	0.3	±2%	150	80
BZX84B4V7	SMD	SOT-23	Industrial Grade	Single	active	4.7	0.3	±2%	150	80
BZX84C24-AQ	SMD	SOT-23	AEC-Q101	Single	active	24	0.3	±5%	150	80
BZX84C24	SMD	SOT-23	Industrial Grade	Single	active	24	0.3	±5%	150	80
BZX84C27-AQ	SMD	SOT-23	AEC-Q101	Single	active	27	0.3	±5%	150	80
BZX84C27	SMD	SOT-23	Industrial Grade	Single	active	27	0.3	±5%	150	80
BZX84C30-AQ	SMD	SOT-23	AEC-Q101	Single	active	30	0.3	±5%	150	80
BZX84C30	SMD	SOT-23	Industrial Grade	Single	active	30	0.3	±5%	150	80
BZX84C33-AQ	SMD	SOT-23	AEC-Q101	Single	active	33	0.3	±5%	150	80
BZX84C33	SMD	SOT-23	Industrial Grade	Single	active	33	0.3	±5%	150	80
BZX84C4V7-AQ	SMD	SOT-23	AEC-Q101	Single	active	4.7	0.3	±5%	150	80
BZX84C4V7	SMD	SOT-23	Industrial Grade	Single	active	4.7	0.3	±5%	150	80
MM1Z4756A	SMD	SOD-123FL	Industrial Grade	Single	active	47	1	±5%	150	80
MM3Z27-AQ	SMD	SOD-323F	AEC-Q101	Single	active	27	0.3	±5%	150	80
MM3Z27	SMD	SOD-323F	Industrial Grade	Single	active	27	0.3	±5%	150	80
MM3Z27GW	SMD	SOD-323	Industrial Grade	Single	active	27	0.2	±5%	150	80
MM3Z30-AQ	SMD	SOD-323F	AEC-Q101	Single	active	30	0.3	±5%	150	80
MM3Z30-Q	SMD	SOD-323F	AEC-Q compliant	Single	engineering sample	30	0.3	±5%	150	80
MM3Z30	SMD	SOD-323F	Industrial Grade	Single	active	30	0.3	±5%	150	80
MM3Z30B-AQ	SMD	SOD-323F	AEC-Q101	Single	active	30	0.3	±2%	150	80
MM3Z33	SMD	SOD-323F	Industrial Grade	Single	active	33	0.3	±5%	150	80
MM3Z33B-AQ	SMD	SOD-323F	AEC-Q101	Single	active	33	0.3	±2%	150	80
MM3Z33B	SMD	SOD-323F	Industrial Grade	Single	active	33	0.3	±5%	150	80

MM3Z4V3	SMD	SOD-323F	Industrial Grade	Single	active	4.3	0.3	±5%	150	80
MM3Z4V7-AQ	SMD	SOD-323F	AEC-Q101	Single	active	4.7	0.3	±5%	150	80
MM3Z4V7-Q	SMD	SOD-323F	AEC-Q compliant	Single	engineering sample	4.7	0.3	±5%	150	80
MM3Z4V7	SMD	SOD-323F	Industrial Grade	Single	active	4.7	0.3	±5%	150	80
MM3Z5B6-AQ	SMD	SOD-323F	AEC-Q101	Single	active	5.6	0.3	±2%	150	80
MM3Z5B6-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	5.6	0.3	±5%	150	80
MM3Z5B6	SMD	SOD-323F	Industrial Grade	Single	active	5.6	0.3	±2%	150	80
MM5Z27-AQ	SMD	SOD-523	AEC-Q101	Single	active	27	0.3	±5%	150	80
MM5Z27	SMD	SOD-523	Industrial Grade	Single	active	27	0.3	±5%	150	80
MM5Z30	SMD	SOD-523	Industrial Grade	Single	active	30	0.3	±5%	150	80
MM5Z33	SMD	SOD-523	Industrial Grade	Single	active	33	0.3	±5%	150	80
MM5Z4V3	SMD	SOD-523	Industrial Grade	Single	active	4.3	0.3	±5%	150	80
MM5Z4V7	SMD	SOD-523	Industrial Grade	Single	active	4.7	0.3	±5%	150	80
MM9Z5V1B	SMD	DFN1006-2	Industrial Grade	Single	engineering sample	5.1	0.25	-	150	80
MMS3Z27BGW-Q	SMD	SOD-323	AEC-Q compliant	Single	active	27	0.3	±2%	150	80
MMS3Z33BGW-Q	SMD	SOD-323	AEC-Q compliant	Single	active	33	0.3	±2%	150	80
MMS3Z4B7GW-AQ	SMD	SOD-323	AEC-Q101	Single	active	4.7	0.3	±2%	150	80
MMS3Z4B7GW-Q	SMD	SOD-323	AEC-Q compliant	Single	active	4.7	0.3	±2%	150	80
MMS3Z4B7GW	SMD	SOD-323	Industrial Grade	Single	active	4.7	0.3	±2%	150	80
MMSZ5259B-AQ	SMD	SOD-123F	AEC-Q101	Single	engineering sample	39	0.5	±5%	150	80
MMSZ5259B	SMD	SOD-123F	Industrial Grade	Single	active	39	0.5	±5%	150	80
SMZ110	SMD	DO-213AB/Melf	Industrial Grade	Single	active	110	2	±5%	150	80
SMZ110B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	110	2	±2%	150	80
SMZ120	SMD	DO-213AB/Melf	Industrial Grade	Single	active	120	2	±5%	150	80
SMZ120B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	120	2	±2%	150	80
SZ3C110	SMD	DO-213AB/Melf	Industrial Grade	Single	active	110	3	±5%	150	80
SZ3C120	SMD	DO-213AB/Melf	Industrial Grade	Single	active	120	3	±5%	150	80
Z1SMA62	SMD	DO-214AC/SMA	Industrial Grade	Single	active	62	1.5	±5%	150	80
Z2SMB110	SMD	DO-214AA/SMB	Industrial Grade	Single	active	110	3	±5%	150	80
Z2SMB120	SMD	DO-214AA/SMB	Industrial Grade	Single	active	120	3	±5%	150	80
Z3SMC110	SMD	DO-214AB/SMC	Industrial Grade	Single	active	110	3	±5%	150	80
Z3SMC120	SMD	DO-214AB/SMC	Industrial Grade	Single	active	120	3	±5%	150	80
ZMD3.9	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	3.9	1	±5%	175	80

ZMD4.3	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	4.3	1	±5%	175	80
ZMD62	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	62	1	±5%	175	80
ZMD62B	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	62	1	±2%	175	80
ZMM24B	SMD	SOD-80	Industrial Grade	Single	active	24	0.5	±2%	175	80
ZMM27	SMD	SOD-80	Industrial Grade	Single	active	27	0.5	±5%	175	80
ZMM27B	SMD	SOD-80	Industrial Grade	Single	active	27	0.5	±2%	175	80
ZMM30	SMD	SOD-80	Industrial Grade	Single	active	30	0.5	±5%	175	80
ZMM30B	SMD	SOD-80	Industrial Grade	Single	active	30	0.5	±2%	175	80
ZMM33	SMD	SOD-80	Industrial Grade	Single	active	33	0.5	±5%	175	80
ZMM33B	SMD	SOD-80	Industrial Grade	Single	active	33	0.5	±2%	175	80
ZMM33R13	SMD	SOD-80	Industrial Grade	Single	active	33	0.5	±5%	175	80
ZMM36B	SMD	SOD-80	Industrial Grade	Single	active	36	0.5	±2%	175	80
ZMY110	SMD	DO-213AB/Melf	Industrial Grade	Single	active	110	1.3	±5%	150	80
ZMY110B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	110	1.3	±2%	150	80
ZMY120	SMD	DO-213AB/Melf	Industrial Grade	Single	active	120	1.3	±5%	150	80
ZMY120B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	120	1.3	±2%	150	80
ZMY130B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	130	1.3	±2%	150	80
ZPD3.0	Axial	DO-35	Industrial Grade	Single	active	3	0.5	±5%	175	80
ZPD3.3	Axial	DO-35	Industrial Grade	Single	active	3.3	0.5	±5%	175	80
ZPD3.6	Axial	DO-35	Industrial Grade	Single	active	3.6	0.5	±5%	175	80
ZPD3.9	Axial	DO-35	Industrial Grade	Single	active	3.9	0.5	±5%	175	80
ZPD3B0	Axial	DO-35	Industrial Grade	Single	active	3	0.5	±2%	175	80
ZPD3B3	Axial	DO-35	Industrial Grade	Single	active	3.3	0.5	±2%	175	80
ZPD3B6	Axial	DO-35	Industrial Grade	Single	active	3.6	0.5	±2%	175	80
ZPD3B9	Axial	DO-35	Industrial Grade	Single	active	3.9	0.5	±2%	175	80
ZPD51	Axial	DO-35	Industrial Grade	Single	active	51	0.5	±5%	175	80
ZPY110	Axial	DO-41	Industrial Grade	Single	active	110	1.3	±5%	150	80
ZPY110B	Axial	DO-41	Industrial Grade	Single	active	110	1.3	±2%	150	80
ZPY120	Axial	DO-41	Industrial Grade	Single	active	120	1.3	±5%	150	80
ZPY120B	Axial	DO-41	Industrial Grade	Single	active	120	1.3	±2%	150	80
ZY110	Axial	DO-41	Industrial Grade	Single	active	110	2	±5%	150	80
ZY110B	Axial	DO-41	Industrial Grade	Single	active	110	2	±2%	150	80
ZY120	Axial	DO-41	Industrial Grade	Single	active	120	2	±5%	150	80

ZY120B	Axial	DO-41	Industrial Grade	Single	active	120	2	±2%	150	80
BZT52B20-AQ	SMD	SOD-123F	AEC-Q101	Single	engineering sample	20	0.5	±2%	150	85
BZT52B20-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	20	0.5	±2%	150	85
BZT52B20	SMD	SOD-123F	Industrial Grade	Single	active	20	0.5	±2%	150	85
BZX84B2V4-AQ	SMD	SOT-23	AEC-Q101	Single	active	2.4	0.3	±2%	150	85
BZX84B2V4-Q	SMD	SOT-23	AEC-Q compliant	Single	active	2.4	0.3	±2%	150	85
BZX84B2V7-AQ	SMD	SOT-23	AEC-Q compliant	Single	active	2.7	0.3	±2%	150	85
BZX84B2V7-Q	SMD	SOT-23	AEC-Q compliant	Single	active	2.7	0.3	±2%	150	85
BZX84B2V7	SMD	SOT-23	Industrial Grade	Single	active	2.7	0.3	±2%	150	85
BZX84B3V0	SMD	SOT-23	Industrial Grade	Single	active	3	0.3	±2%	150	85
BZX84B3V3-AQ	SMD	SOT-23	AEC-Q101	Single	active	3.3	0.3	±2%	150	85
BZX84B3V3	SMD	SOT-23	Industrial Grade	Single	active	3.3	0.3	±2%	150	85
BZX84B3V6	SMD	SOT-23	Industrial Grade	Single	active	3.3	0.3	±2%	150	85
MM3Z2V4-AQ	SMD	SOD-323F	AEC-Q101	Single	active	2.4	0.3	±5%	150	85
MM3Z2V4	SMD	SOD-323F	Industrial Grade	Single	active	2.4	0.3	±5%	150	85
MM3Z2V7-AQ	SMD	SOD-323F	AEC-Q101	Single	active	2.7	0.3	±5%	150	85
MM3Z2V7-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	2.7	0.3	±5%	150	85
MM3Z2V7	SMD	SOD-323F	Industrial Grade	Single	active	2.7	0.3	±5%	150	85
MM3Z3V0-AQ	SMD	SOD-323F	AEC-Q101	Single	active	3	0.3	±5%	150	85
MM3Z3V0	SMD	SOD-323F	Industrial Grade	Single	active	3	0.3	±5%	150	85
MM3Z3V3-AQ	SMD	SOD-323F	AEC-Q101	Single	active	3.3	0.3	-	150	85
MM3Z3V3-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	3.3	0.3	±5%	150	85
MM3Z3V3	SMD	SOD-323F	Industrial Grade	Single	active	3.3	0.3	±5%	150	85
MM3Z3V6-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	3.6	0.3	±5%	150	85
MM3Z3V6	SMD	SOD-323F	Industrial Grade	Single	active	3.6	0.3	±5%	150	85
MM3Z3V9-AQ	SMD	SOD-323F	AEC-Q101	Single	active	3.9	0.3	±5%	150	85
MM3Z3V9-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	3.9	0.3	±5%	150	85
MM3Z3V9	SMD	SOD-323F	Industrial Grade	Single	active	3.9	0.3	±5%	150	85
MM5Z2V4	SMD	SOD-523	Industrial Grade	Single	active	2.4	0.3	±5%	150	85
MM5Z2V7	SMD	SOD-523	Industrial Grade	Single	active	2.7	0.3	±5%	150	85
MM5Z3V0	SMD	SOD-523	Industrial Grade	Single	active	3	0.3	±5%	150	85
MM5Z3V3-AQ	SMD	SOD-523	AEC-Q101	Single	active	3.3	0.3	±5%	150	85
MM5Z3V3-Q	SMD	SOD-523	AEC-Q compliant	Single	engineering sample	3.3	0.3	±5%	150	85

MM5Z3V3	SMD	SOD-523	Industrial Grade	Single	active	3.3	0.3	±5%	150	85
MM5Z3V6	SMD	SOD-523	Industrial Grade	Single	active	3.6	0.3	±5%	150	85
MM5Z3V9	SMD	SOD-523	Industrial Grade	Single	active	3.9	0.3	±5%	150	85
ZMM2.4	SMD	SOD-80	Industrial Grade	Single	active	2.4	0.5	±5%	175	85
ZMM2.7	SMD	SOD-80	Industrial Grade	Single	active	2.7	0.5	±5%	175	85
ZMM2.7R13	SMD	SOD-80	Industrial Grade	Single	active	2.7	0.5	±5%	175	85
ZMM3.0	SMD	SOD-80	Industrial Grade	Single	active	3	0.5	±5%	175	85
ZMM3.3	SMD	SOD-80	Industrial Grade	Single	active	3.3	0.5	±5%	175	85
ZMM3.6	SMD	SOD-80	Industrial Grade	Single	active	3.6	0.5	±5%	175	85
ZMM3.6R13	SMD	SOD-80	Industrial Grade	Single	active	3.6	0.5	±5%	175	85
ZMM3.9	SMD	SOD-80	Industrial Grade	Single	active	3.9	0.5	±5%	175	85
ZMM3.9R13	SMD	SOD-80	Industrial Grade	Single	active	3.9	0.5	±5%	175	85
ZMM3B9	SMD	SOD-80	Industrial Grade	Single	active	3.9	0.5	±2%	175	85
1N5378B	Axial	DO-201	Industrial Grade	Single	active	100	5	±5%	150	90
2BZX84B3V6	SMD	SOT-23	Industrial Grade	Common Anode	active	3.6	0.3	±2%	150	90
2BZX84C36	SMD	SOT-23	Industrial Grade	Common Anode	active	36	0.3	±5%	150	90
2BZX84C3V6	SMD	SOT-23	Industrial Grade	Common Anode	active	3.6	0.3	±5%	150	90
2BZX84C3V9	SMD	SOT-23	Industrial Grade	Common Anode	active	3.9	0.3	±5%	150	90
2BZX84C4V3	SMD	SOT-23	Industrial Grade	Common Anode	active	4.3	0.3	±5%	150	90
3EZ130	Axial	DO-15	Industrial Grade	Single	active	130	3	±5%	150	90
BZT52C36-AQ	SMD	SOD-123F	AEC-Q101	Single	active	36	0.5	±5%	150	90
BZT52C36	SMD	SOD-123F	Industrial Grade	Single	active	36	0.5	±5%	150	90
BZX84B3V9-AQ	SMD	SOT-23	AEC-Q101	Single	active	3.9	0.3	±2%	150	90
BZX84C36-AQ	SMD	SOT-23	AEC-Q101	Single	active	36	0.3	±5%	150	90
BZX84C36	SMD	SOT-23	Industrial Grade	Single	active	36	0.3	±5%	150	90
BZX84C3V6-AQ	SMD	SOT-23	Industrial Grade	Single	engineering sample	3.6	0.3	±5%	150	90
BZX84C3V6	SMD	SOT-23	Industrial Grade	Single	active	3.6	0.3	±5%	150	90
BZX84C3V9-AQ	SMD	SOT-23	AEC-Q101	Single	active	3.9	0.3	±5%	150	90
BZX84C3V9-Q	SMD	SOT-23	AEC-Q compliant	Single	active	3.9	0.3	±5%	150	90
BZX84C3V9	SMD	SOT-23	Industrial Grade	Single	active	3.9	0.3	±5%	150	90
BZX84C4V3-AQ	SMD	SOT-23	AEC-Q101	Single	engineering sample	4.3	0.3	±5%	150	90
BZX84C4V3-Q	SMD	SOT-23	AEC-Q compliant	Single	active	4.3	0.3	±5%	150	90
BZX84C4V3	SMD	SOT-23	Industrial Grade	Single	active	4.3	0.3	±5%	150	90

MM3Z36	SMD	SOD-323F	Industrial Grade	Single	active	36	0.3	±5%	150	90
MM3Z36B-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	36	0.3	±2%	150	90
MM3Z36B	SMD	SOD-323F	Industrial Grade	Single	active	36	0.3	±2%	150	90
MM5Z36	SMD	SOD-523	Industrial Grade	Single	active	36	0.3	±5%	150	90
MMS3Z36BGW-Q	SMD	SOD-323	AEC-Q compliant	Single	active	36	0.3	±2%	150	90
MMS3Z3B9GW-Q	SMD	SOD-323	AEC-Q compliant	Single	active	3.9	0.3	±2%	150	90
MMS3Z3B9GW	SMD	SOD-323	Industrial Grade	Single	active	3.9	0.3	±2%	150	90
MMS3Z4B3GW-Q	SMD	SOD-323	AEC-Q compliant	Single	active	4.3	0.3	±2%	150	90
MMS3Z4B3GW	SMD	SOD-323	Industrial Grade	Single	active	4.3	0.3	±2%	150	90
SMZ130	SMD	DO-213AB/Melf	Industrial Grade	Single	active	130	2	±5%	150	90
SZ3C130	SMD	DO-213AB/Melf	Industrial Grade	Single	active	130	3	±5%	150	90
Z1SMA68-Q	SMD	DO-214AC/SMA	AEC-Q compliant	Single	active	68	1.5	±5%	150	90
Z1SMA68	SMD	DO-214AC/SMA	Industrial Grade	Single	active	68	1.5	±5%	150	90
Z2SMB130	SMD	DO-214AA/SMB	Industrial Grade	Single	active	130	3	±5%	150	90
Z3SMC130	SMD	DO-214AB/SMC	Industrial Grade	Single	active	130	3	±5%	150	90
ZMD68	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	68	1	±5%	175	90
ZMD68B	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	68	1	±2%	175	90
ZMM36	SMD	SOD-80	Industrial Grade	Single	active	36	0.5	±5%	175	90
ZMM39	SMD	SOD-80	Industrial Grade	Single	active	39	0.5	±5%	175	90
ZMM39B	SMD	SOD-80	Industrial Grade	Single	active	39	0.5	±2%	175	90
ZMM39R13	SMD	SOD-80	Industrial Grade	Single	active	39	0.5	±5%	175	90
ZMM43B	SMD	SOD-80	Industrial Grade	Single	active	43	0.5	±2%	175	90
ZMY130	SMD	DO-213AB/Melf	Industrial Grade	Single	active	130	1.3	±5%	150	90
ZPD56	Axial	DO-35	Industrial Grade	Single	active	56	0.5	±5%	175	90
ZPY130	Axial	DO-41	Industrial Grade	Single	active	130	1.3	±5%	150	90
ZPY130B	Axial	DO-41	Industrial Grade	Single	active	130	1.3	±2%	150	90
ZY130	Axial	DO-41	Industrial Grade	Single	active	130	2	±5%	150	90
ZY130B	Axial	DO-41	Industrial Grade	Single	active	130	2	±2%	150	90
MMSZ5260B-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	43	0.5	±5%	150	93
MMSZ5260B	SMD	SOD-123F	Industrial Grade	Single	active	43	0.5	±5%	150	93
2BZX84C3V0	SMD	SOT-23	Industrial Grade	Common Anode	active	3	0.3	±5%	150	95
2BZX84C3V3-AQ	SMD	SOT-23	AEC-Q101	Common Anode	engineering sample	3.3	0.3	±5%	150	95
2BZX84C3V3	SMD	SOT-23	Industrial Grade	Common Anode	active	3.3	0.3	±5%	150	95

BZT52C3V3GW	SMD	SOD-123	Industrial Grade	Single	active	3.3	0.35	±5%	150	95
BZX84C3V0-AQ	SMD	SOT-23	Industrial Grade	Single	engineering sample	3	0.3	±5%	150	95
BZX84C3V0-Q	SMD	SOT-23	AEC-Q compliant	Single	active	3	0.3	±5%	150	95
BZX84C3V0	SMD	SOT-23	Industrial Grade	Single	active	3	0.3	±5%	150	95
BZX84C3V3-AQ	SMD	SOT-23	AEC-Q101	Single	active	3.3	0.3	±5%	150	95
BZX84C3V3-C	SMD	SOT-23	Commercial Grade	Single	active	3.3	0.3	±5%	150	95
BZX84C3V3-Q	SMD	SOT-23	AEC-Q compliant	Single	active	3.3	0.3	±5%	150	95
BZX84C3V3	SMD	SOT-23	Industrial Grade	Single	active	3.3	0.3	±5%	150	95
MM3Z3V3GW	SMD	SOD-323	Industrial Grade	Single	active	3.3	0.2	±5%	150	95
MM9Z3V3	SMD	DFN1006-2	Industrial Grade	Single	engineering sample	3.3	0.25	-	150	95
MMS3Z3B3GW-Q	SMD	SOD-323	AEC-Q compliant	Single	active	3.3	0.3	±2%	150	95
MMS3Z3B3GW	SMD	SOD-323	Industrial Grade	Single	active	3.3	0.3	±2%	150	95
Z1SMA75	SMD	DO-214AC/SMA	Industrial Grade	Single	active	75	1.5	±5%	150	95
ZMD75	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	75	1	±5%	175	95
ZMD75B	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	75	1	±2%	175	95
2BZX84C2V4	SMD	SOT-23	Industrial Grade	Common Anode	active	2.4	0.3	±5%	150	100
2BZX84C2V7	SMD	SOT-23	Industrial Grade	Common Anode	active	2.7	0.3	±5%	150	100
3EZ150	Axial	DO-15	Industrial Grade	Single	active	150	3	±5%	150	100
BZT52B22	SMD	SOD-123F	Industrial Grade	Single	active	22	0.5	±2%	150	100
BZT52B2V4	SMD	SOD-123F	Industrial Grade	Single	active	2.4	0.5	±2%	150	100
BZT52B39	SMD	SOD-123F	Industrial Grade	Single	engineering sample	39	0.5	±2%	150	100
BZT52B3V6-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	3.6	0.5	±2%	150	100
BZT52B3V6	SMD	SOD-123F	Industrial Grade	Single	active	3.6	0.5	±2%	150	100
BZT52B4V3	SMD	SOD-123F	Industrial Grade	Single	active	4.3	0.5	±2%	150	100
BZT52B4V7	SMD	SOD-123F	Industrial Grade	Single	active	4.7	0.5	±2%	150	100
BZT52C2V0-AQ	SMD	SOD-123F	AEC-Q101	Single	active	2	0.5	±5%	150	100
BZT52C2V0-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	2	0.5	±5%	150	100
BZT52C2V0	SMD	SOD-123F	Industrial Grade	Single	active	2	0.5	±5%	150	100
BZT52C2V4-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	2.4	0.5	±5%	150	100
BZT52C2V4	SMD	SOD-123F	Industrial Grade	Single	active	2.4	0.5	±5%	150	100
BZT52C39-AQ	SMD	SOD-123F	AEC-Q101	Single	active	39	0.5	±5%	150	100
BZT52C39	SMD	SOD-123F	Industrial Grade	Single	active	39	0.5	±5%	150	100
BZX84B2V4	SMD	SOT-23	Industrial Grade	Single	active	2.4	0.3	±2%	150	100

BZX84C2V4-AQ	SMD	SOT-23	AEC-Q101	Single	active	2.4	0.3	±5%	150	100
BZX84C2V4	SMD	SOT-23	Industrial Grade	Single	active	2.4	0.3	±5%	150	100
BZX84C2V7-AQ	SMD	SOT-23	AEC-Q101	Single	active	2.7	0.3	±5%	150	100
BZX84C2V7	SMD	SOT-23	Industrial Grade	Single	active	2.7	0.3	±5%	150	100
MM3Z2B4-AQ	SMD	SOD-323F	AEC-Q101	Single	engineering sample	2.4	0.3	±2%	150	100
MM3Z2B4-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	2.4	0.3	±2%	150	100
MM3Z39B-AQ	SMD	SOD-323F	AEC-Q101	Single	active	39	0.3	±5%	150	100
MM3Z39B-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	39	0.3	±2%	150	100
MM3Z39B	SMD	SOD-323F	Industrial Grade	Single	active	39	0.3	±2%	150	100
MM5Z3V6B	SMD	SOD-523	Industrial Grade	Single	active	3.7	0.3	±2%	150	100
MM5Z3V9B	SMD	SOD-523	Industrial Grade	Single	active	3.9	0.3	±2%	150	100
MM5Z4V3B	SMD	SOD-523	Industrial Grade	Single	engineering sample	4.3	0.3	±2%	150	100
MM5Z4V7B	SMD	SOD-523	Industrial Grade	Single	active	4.7	0.3	±2%	150	100
MMS3Z2B7GW-Q	SMD	SOD-323	AEC-Q compliant	Single	active	2.7	0.3	±2%	150	100
MMS3Z2B7GW	SMD	SOD-323	Commercial Grade	Single	active	2.7	0.3	±2%	150	100
SMZ150	SMD	DO-213AB/Melf	Industrial Grade	Single	active	150	2	±5%	150	100
SZ3C150	SMD	DO-213AB/Melf	Industrial Grade	Single	active	150	3	±5%	150	100
Z1SMA82	SMD	DO-214AC/SMA	Industrial Grade	Single	active	82	1.5	±5%	150	100
Z2SMB150	SMD	DO-214AA/SMB	Industrial Grade	Single	active	150	3	±5%	150	100
Z3SMC150	SMD	DO-214AB/SMC	Industrial Grade	Single	active	150	3	±5%	150	100
ZMD82	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	82	1	±5%	175	100
ZMD82B	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	82	1	±2%	175	100
ZMM2V7HCB	SMD	SOD-80	Industrial Grade	Single	active	2.7	0.5	±5%	175	100
ZMM43	SMD	SOD-80	Industrial Grade	Single	active	43	0.5	±5%	175	100
ZMY150	SMD	DO-213AB/Melf	Industrial Grade	Single	active	150	1.3	±5%	150	100
ZMY150B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	150	1.3	±2%	150	100
ZPD62	Axial	DO-35	Industrial Grade	Single	active	62	0.5	±5%	175	100
ZPY150	Axial	DO-41	Industrial Grade	Single	active	150	1.3	±5%	150	100
ZPY150B	Axial	DO-41	Industrial Grade	Single	active	150	1.3	±2%	150	100
ZY150	Axial	DO-41	Industrial Grade	Single	active	150	2	±5%	150	100
ZY150B	Axial	DO-41	Industrial Grade	Single	active	150	2	±2%	150	100
MMSZ5261B-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	47	0.5	±5%	150	105
MMSZ5261B	SMD	SOD-123F	Industrial Grade	Single	active	47	0.5	±5%	150	105

3EZ160	Axial	DO-15	Industrial Grade	Single	active	160	3	±5%	150	110
BZT52B2V7-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	2.7	0.5	±2%	150	110
BZT52B2V7	SMD	SOD-123F	Industrial Grade	Single	active	2.7	0.5	±2%	150	110
BZT52C2V7-AQ	SMD	SOD-123F	AEC-Q compliant	Single	active	2.7	0.5	±5%	150	110
BZT52C2V7-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	2.7	0.5	±5%	150	110
BZT52C2V7	SMD	SOD-123F	Industrial Grade	Single	active	2.7	0.5	±5%	150	110
MM3Z2B7-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	2.7	0.3	±2%	150	110
SMZ160	SMD	DO-213AB/Melf	Industrial Grade	Single	active	160	2	±5%	150	110
SMZ160B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	160	2	±2%	150	110
SZ3C160	SMD	DO-213AB/Melf	Industrial Grade	Single	active	160	3	±5%	150	110
Z2SMB160	SMD	DO-214AA/SMB	Industrial Grade	Single	active	160	3	±5%	150	110
Z3SMC160	SMD	DO-214AB/SMC	Industrial Grade	Single	active	160	3	±5%	150	110
ZMM47	SMD	SOD-80	Industrial Grade	Single	active	47	0.5	±5%	175	110
ZMM47B	SMD	SOD-80	Industrial Grade	Single	active	47	0.5	±2%	175	110
ZMY160	SMD	DO-213AB/Melf	Industrial Grade	Single	active	160	1.3	±5%	150	110
ZMY160B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	160	1.3	±2%	150	110
ZPD68	Axial	DO-35	Industrial Grade	Single	active	68	0.5	±5%	175	110
ZPY160	Axial	DO-41	Industrial Grade	Single	active	160	1.3	±5%	150	110
ZPY160B	Axial	DO-41	Industrial Grade	Single	active	160	1.3	±2%	150	110
ZY160	Axial	DO-41	Industrial Grade	Single	active	160	2	±5%	150	110
ZY160B	Axial	DO-41	Industrial Grade	Single	active	160	2	±2%	150	110
3EZ180	Axial	DO-15	Industrial Grade	Single	active	180	3	±5%	150	120
BZT52B24	SMD	SOD-123F	Industrial Grade	Single	active	24	0.5	±2%	150	120
BZT52B3V0-AQ	SMD	SOD-123F	AEC-Q101	Single	engineering sample	3	0.5	±2%	150	120
BZT52B3V0	SMD	SOD-123F	Industrial Grade	Single	active	3	0.5	±2%	150	120
BZT52B3V3	SMD	SOD-123F	Industrial Grade	Single	active	3.3	0.5	±2%	150	120
BZT52B3V9-AQ	SMD	SOD-123F	AEC-Q101	Single	active	3.9	0.5	±2%	150	120
BZT52B3V9	SMD	SOD-123F	Industrial Grade	Single	active	3.9	0.5	±2%	150	120
BZT52C3V0	SMD	SOD-123F	Industrial Grade	Single	active	3	0.5	±5%	150	120
MM3Z3B0-AQ	SMD	SOD-323F	AEC-Q101	Single	active	3	0.3	±2%	150	120
MM3Z3B0	SMD	SOD-323F	Industrial Grade	Single	active	3	0.3	±2%	150	120
MM5Z24B	SMD	SOD-523	Industrial Grade	Single	active	24	0.3	±2%	150	120
MM9Z3V3B	SMD	DFN1006-2	Industrial Grade	Single	engineering sample	3.3	0.25	-	150	120

SMZ180	SMD	DO-213AB/Melf	Industrial Grade	Single	active	180	2	±5%	150	120
SMZ180B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	180	2	±2%	150	120
SZ3C180	SMD	DO-213AB/Melf	Industrial Grade	Single	active	180	3	±5%	150	120
Z2SMB180-Q	SMD	DO-214AA/SMB	AEC-Q compliant	Single	active	180	3	±5%	150	120
Z2SMB180	SMD	DO-214AA/SMB	Industrial Grade	Single	active	180	3	±5%	150	120
Z3SMC180	SMD	DO-214AB/SMC	Industrial Grade	Single	active	180	3	±5%	150	120
ZMY180	SMD	DO-213AB/Melf	Industrial Grade	Single	active	180	1.3	±5%	150	120
ZMY180B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	180	1.3	±2%	150	120
ZPD75	Axial	DO-35	Industrial Grade	Single	active	75	0.5	±5%	175	120
ZPY180	Axial	DO-41	Industrial Grade	Single	active	180	1.3	±5%	150	120
ZPY180B	Axial	DO-41	Industrial Grade	Single	active	180	1.3	±2%	150	120
ZY180	Axial	DO-41	Industrial Grade	Single	active	180	2	±5%	150	120
ZY180B	Axial	DO-41	Industrial Grade	Single	active	180	2	±2%	150	120
1N5379B	Axial	DO-201	Industrial Grade	Single	active	110	5	±5%	150	125
MMSZ5262B	SMD	SOD-123F	Industrial Grade	Single	active	51	0.5	±5%	150	125
ZMM51	SMD	SOD-80	Industrial Grade	Single	active	51	0.5	±5%	175	125
ZMM51B	SMD	SOD-80	Industrial Grade	Single	active	51	0.5	±2%	175	125
ZMM51R13	SMD	SOD-80	Industrial Grade	Single	active	51	0.5	±5%	175	125
2BZX84C39	SMD	SOT-23	Industrial Grade	Common Anode	active	39	0.3	±5%	150	130
BZT52C3V3-AQ	SMD	SOD-123F	AEC-Q101	Single	active	3.3	0.5	±5%	150	130
BZT52C3V3-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	3.3	0.5	±5%	150	130
BZT52C3V3	SMD	SOD-123F	Industrial Grade	Single	active	3.3	0.5	±5%	150	130
BZT52C3V6-AQ	SMD	SOD-123F	AEC-Q101	Single	active	3.6	0.5	±5%	150	130
BZT52C3V6-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	3.6	0.5	±5%	150	130
BZT52C3V6	SMD	SOD-123F	Industrial Grade	Single	active	3.6	0.5	±5%	150	130
BZT52C3V9-AQ	SMD	SOD-123F	AEC-Q101	Single	engineering sample	3.9	0.5	±5%	150	130
BZT52C3V9	SMD	SOD-123F	Industrial Grade	Single	active	3.9	0.5	±5%	150	130
BZT52C43-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	43	0.5	±5%	150	130
BZT52C43	SMD	SOD-123F	Industrial Grade	Single	active	43	0.5	±5%	150	130
BZT52C4V3-AQ	SMD	SOD-123F	Industrial Grade	Single	engineering sample	4.3	0.5	±5%	150	130
BZT52C4V3	SMD	SOD-123F	Industrial Grade	Single	active	4.3	0.5	±5%	150	130
BZT52C4V7-AQ	SMD	SOD-123F	AEC-Q101	Single	active	4.7	0.5	±5%	150	130
BZT52C4V7	SMD	SOD-123F	Industrial Grade	Single	active	4.7	0.5	±5%	150	130

BZT52C5V1-AQ	SMD	SOD-123F	AEC-Q101	Single	active	5.1	0.5	±5%	150	130
BZT52C5V1-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	5.1	0.5	±5%	150	130
BZT52C5V1	SMD	SOD-123F	Industrial Grade	Single	active	5.1	0.5	±5%	150	130
BZX84C39-AQ	SMD	SOT-23	AEC-Q101	Single	active	39	0.3	±5%	150	130
BZX84C39	SMD	SOT-23	Industrial Grade	Single	active	39	0.3	±5%	150	130
MM3Z39-AQ	SMD	SOD-323F	AEC-Q101	Single	active	39	0.3	±5%	150	130
MM3Z39-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	39	0.3	±5%	150	130
MM3Z39	SMD	SOD-323F	Industrial Grade	Single	active	39	0.3	±5%	150	130
MM3Z3B3-AQ	SMD	SOD-323F	AEC-Q101	Single	active	3.3	0.3	-	150	130
MM3Z3B3-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	3.3	0.3	±2%	150	130
MM3Z3B3	SMD	SOD-323F	Industrial Grade	Single	active	3.3	0.3	±2%	150	130
MM3Z3B6-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	3.6	0.3	±2%	150	130
MM3Z3B6	SMD	SOD-323F	Industrial Grade	Single	engineering sample	3.6	0.3	±2%	150	130
MM3Z3B9-AQ	SMD	SOD-323F	AEC-Q101	Single	active	3.9	0.3	±2%	150	130
MM3Z3B9-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	3.9	0.3	±5%	150	130
MM3Z3B9	SMD	SOD-323F	Industrial Grade	Single	active	3.9	0.3	±2%	150	130
MM3Z4B3	SMD	SOD-323F	Industrial Grade	Single	active	4.3	0.3	±2%	150	130
MM3Z4B7-AQ	SMD	SOD-323F	AEC-Q101	Single	active	4.7	0.3	±5%	150	130
MM3Z4B7-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	4.7	0.3	±5%	150	130
MM3Z4B7	SMD	SOD-323F	Industrial Grade	Single	active	4.7	0.3	±2%	150	130
MM3Z5B1-AQ	SMD	SOD-323F	AEC-Q101	Single	active	5.1	0.3	±2%	150	130
MM3Z5B1-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	5.1	0.3	±5%	150	130
MM3Z5B1	SMD	SOD-323F	Industrial Grade	Single	active	5.1	0.3	±2%	150	130
MM3Z6B8-AQ	SMD	SOD-323F	AEC-Q101	Single	active	6.8	0.3	±2%	150	130
MM3Z6B8	SMD	SOD-323F	Industrial Grade	Single	active	6.8	0.3	±2%	150	130
MM5Z39-AQ	SMD	SOD-523	Industrial Grade	Single	active	39	0.3	±5%	150	130
MM5Z39	SMD	SOD-523	Industrial Grade	Single	active	39	0.3	±5%	150	130
MM9Z3B3	SMD	DFN1006-2	Industrial Grade	Single	engineering sample	3.3	0.25	-	150	130
MMS3Z43BGW-AQ	SMD	SOD-323	AEC-Q101	Single	engineering sample	43	0.3	±2%	150	130
MMS3Z43BGW-Q	SMD	SOD-323	AEC-Q compliant	Single	active	43	0.3	±2%	150	130
Z1SMA91-Q	SMD	DO-214AC/SMA	AEC-Q compliant	Single	active	91	1.5	±5%	150	130
Z1SMA91	SMD	DO-214AC/SMA	Industrial Grade	Single	active	91	1.5	±5%	150	130
ZMD91	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	91	1	±5%	175	130

ZMD91B	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	91	1	±2%	175	130
ZMM56	SMD	SOD-80	Industrial Grade	Single	active	56	0.5	±5%	175	135
ZMM56B	SMD	SOD-80	Industrial Grade	Single	active	56	0.5	±2%	175	135
2BZX84C43	SMD	SOT-23	Industrial Grade	Common Anode	active	43	0.3	±5%	150	150
3EZ200	Axial	DO-15	Industrial Grade	Single	active	200	3	±5%	150	150
BZT52B27-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	27	0.5	±2%	150	150
BZT52B27	SMD	SOD-123F	Industrial Grade	Single	active	27	0.5	±2%	150	150
BZT52C47	SMD	SOD-123F	Industrial Grade	Single	active	47	0.5	±5%	150	150
BZX84B43	SMD	SOT-23	Industrial Grade	Single	active	43	0.3	±2%	150	150
BZX84C43-AQ	SMD	SOT-23	AEC-Q101	Single	active	43	0.3	±5%	150	150
BZX84C43	SMD	SOT-23	Industrial Grade	Single	active	43	0.3	±5%	150	150
MM3Z43-AQ	SMD	SOD-323F	Industrial Grade	Single	active	43	0.3	±5%	150	150
MM3Z43	SMD	SOD-323F	Industrial Grade	Single	active	43	0.3	±5%	150	150
MM5Z27B	SMD	SOD-523	Industrial Grade	Single	active	27	0.3	±2%	150	150
MM5Z43-AQ	SMD	SOD-523	AEC-Q101	Single	active	43	0.3	±5%	150	150
MM5Z43	SMD	SOD-523	Industrial Grade	Single	active	43	0.3	±5%	150	150
MM5ZB47	SMD	SOD-523	Industrial Grade	Single	active	47	0.3	±2%	150	150
SMZ200	SMD	DO-213AB/Melf	Industrial Grade	Single	active	200	2	±5%	150	150
SMZ200B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	200	2	±2%	150	150
SZ3C200	SMD	DO-213AB/Melf	Industrial Grade	Single	active	200	3	±5%	150	150
Z2SMB200-Q	SMD	DO-214AA/SMB	AEC-Q compliant	Single	engineering sample	200	3	±5%	150	150
Z2SMB200	SMD	DO-214AA/SMB	Industrial Grade	Single	active	200	3	±5%	150	150
Z3SMC200	SMD	DO-214AB/SMC	Industrial Grade	Single	active	200	3	±5%	150	150
ZMM62	SMD	SOD-80	Industrial Grade	Single	active	62	0.5	±5%	175	150
ZMM62B	SMD	SOD-80	Industrial Grade	Single	active	62	0.5	±2%	175	150
ZMM62R13	SMD	SOD-80	Industrial Grade	Single	active	62	0.5	±5%	175	150
ZMY200	SMD	DO-213AB/Melf	Industrial Grade	Single	active	200	1.3	±5%	150	150
ZMY200B	SMD	DO-213AB/Melf	Industrial Grade	Single	active	200	1.3	±2%	150	150
ZPY200	Axial	DO-41	Industrial Grade	Single	active	200	1.3	±5%	150	150
ZPY200B	Axial	DO-41	Industrial Grade	Single	active	200	1.3	±2%	150	150
ZY200	Axial	DO-41	Industrial Grade	Single	active	200	2	±5%	150	150
ZY200B	Axial	DO-41	Industrial Grade	Single	active	200	2	±2%	150	150
1N5380B	Axial	DO-201	Industrial Grade	Single	active	120	5	±5%	150	170

2BZX84C47	SMD	SOT-23	Industrial Grade	Common Anode	active	47	0.3	±5%	150	170
BZX84B47	SMD	SOT-23	Industrial Grade	Single	active	47	0.3	±2%	150	170
BZX84C47-AQ	SMD	SOT-23	AEC-Q101	Single	active	47	0.3	±5%	150	170
BZX84C47-Q	SMD	SOT-23	AEC-Q compliant	Single	active	47	0.3	±5%	150	170
BZX84C47	SMD	SOT-23	Industrial Grade	Single	active	47	0.3	±5%	150	170
MM3Z47	SMD	SOD-323F	Industrial Grade	Single	active	47	0.3	±5%	150	170
MM5Z47	SMD	SOD-523	Industrial Grade	Single	active	47	0.3	±5%	150	170
BZT52C51-AQ	SMD	SOD-123F	AEC-Q101	Single	engineering sample	51	0.5	±5%	150	180
BZT52C51	SMD	SOD-123F	Industrial Grade	Single	active	51	0.5	±5%	150	180
BZT52C56-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	56	0.5	±5%	150	180
BZT52C56	SMD	SOD-123F	Industrial Grade	Single	active	56	0.5	±5%	150	180
1N5381B	Axial	DO-201	Industrial Grade	Single	active	130	5	±5%	150	190
BZT52B30	SMD	SOD-123F	Industrial Grade	Single	active	30	0.5	±2%	150	200
BZT52C62-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	62	0.5	±5%	150	200
BZT52C62	SMD	SOD-123F	Industrial Grade	Single	active	62	0.5	±5%	150	200
MM3Z47B	SMD	SOD-323F	Industrial Grade	Single	active	47	0.3	±2%	150	200
MM3Z56B-Q	SMD	SOD-323F	AEC-Q compliant	Single	active	56	0.3	±2%	150	200
MM3Z56B	SMD	SOD-323F	Industrial Grade	Single	active	56	0.3	±2%	150	200
MM5Z30B	SMD	SOD-523	Industrial Grade	Single	active	30	0.3	±2%	150	200
Z1SMA100	SMD	DO-214AC/SMA	Industrial Grade	Single	active	100	1.5	±5%	150	200
ZMD100	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	100	1	±5%	175	200
ZMD100B	SMD	DO-213AA/MiniMelf	Industrial Grade	Single	active	100	1	±2%	175	200
ZMM68	SMD	SOD-80	Industrial Grade	Single	active	68	0.5	±5%	175	200
ZMM68B	SMD	SOD-80	Industrial Grade	Single	active	68	0.5	±2%	175	200
ZMM68R13	SMD	SOD-80	Industrial Grade	Single	active	68	0.5	±5%	175	200
ZPD68B	Axial	DO-35	Industrial Grade	Single	active	68	0.5	±2%	175	200
MM3Z62B	SMD	SOD-323F	Industrial Grade	Single	active	62	0.3	±2%	150	215
1N5382B	Axial	DO-201	Industrial Grade	Single	active	140	5	±5%	150	230
BZT52B33	SMD	SOD-123F	Industrial Grade	Single	active	33	0.5	±2%	150	250
BZT52C68	SMD	SOD-123F	Industrial Grade	Single	active	68	0.5	±5%	150	250
MM5Z33B-AQ	SMD	SOD-523	AEC-Q101	Single	engineering sample	33	0.3	±2%	150	250
ZMM75	SMD	SOD-80	Industrial Grade	Single	active	75	0.5	±5%	175	250
ZMM75B	SMD	SOD-80	Industrial Grade	Single	active	75	0.5	±2%	175	250

BZT52C75-Q	SMD	SOD-123F	AEC-Q compliant	Single	active	75	0.5	±5%	150	300
BZT52C75	SMD	SOD-123F	Industrial Grade	Single	active	75	0.5	±5%	150	300
MM5Z36B	SMD	SOD-523	Industrial Grade	Single	active	36	0.3	±2%	150	300
1N5383B	Axial	DO-201	Industrial Grade	Single	active	150	5	±5%	150	330
1N5384B	Axial	DO-201	Industrial Grade	Single	active	160	5	±5%	150	350
1N5385B	Axial	DO-201	Industrial Grade	Single	active	170	5	±5%	150	380
1N5386B	Axial	DO-201	Industrial Grade	Single	active	180	5	±5%	150	430
1N5387B	Axial	DO-201	Industrial Grade	Single	active	190	5	±5%	150	450
1N5388B	Axial	DO-201	Industrial Grade	Single	active	200	5	±5%	150	480
BZX84B16	SMD	SOT-23	Industrial Grade	Single	active	16	0.3	±2%	150	-
MM1Z4689	SMD	SOD-123F	Industrial Grade	Single	active	5.1	0.5	±5%	150	-
MM1Z4690	SMD	SOD-123F	Industrial Grade	Single	active	5.6	0.5	±5%	150	-
MM1Z4690R13	SMD	SOD-123F	Industrial Grade	Single	active	5.6	0.5	±5%	150	-
MM1Z4691	SMD	SOD-123F	Industrial Grade	Single	active	6.2	0.5	±5%	150	-
MM1Z4693	SMD	SOD-123F	Industrial Grade	Single	active	11	0.5	±5%	150	-
MM1Z4694	SMD	SOD-123F	Industrial Grade	Single	active	8.2	0.5	±5%	150	-
MM1Z4697	SMD	SOD-123F	Industrial Grade	Single	active	11	0.5	±5%	150	-
MM1Z4698	SMD	SOD-123F	Industrial Grade	Single	active	11	0.5	±5%	150	-
MM1Z4699	SMD	SOD-123F	Industrial Grade	Single	engineering sample	11	0.5	±5%	150	-
MM1Z4702-AQ	SMD	SOD-123F	AEC-Q101	Single	engineering sample	15	0.5	±5%	150	-
MM1Z4702	SMD	SOD-123F	Industrial Grade	Single	active	15	0.5	±5%	150	-
MM1Z4705	SMD	SOD-123F	Industrial Grade	Single	active	18	0.5	±5%	150	-
MM1Z4707	SMD	SOD-123F	Industrial Grade	Single	active	20	0.5	±5%	150	-
MM1Z4709	SMD	SOD-123F	Industrial Grade	Single	engineering sample	24	0.5	±5%	150	-
MM1Z4711	SMD	SOD-123F	Industrial Grade	Single	active	27	0.5	±5%	150	-